Technical data sheet





Combi convection steam oven STEAMBOX gas 20x GN 2/1 automatic cleaning direct steam left door

Model SAP Code 00014965

- Steam type: Injection
- Number of GN / EN: 20
- GN / EN size in device: GN 2/1
- GN device depth: 65
- Control type: Touchscreen + buttons
- Display size: 9"
- Humidity control: MeteoSystem regulation based on direct measurement of humidity in the chamber (patented)
- Advanced moisture adjustment: Supersteam two steam saturation modes
- Delta T heat preparation: Yes
- Automatic preheating: Yes
- Multi level cooking: Drawer program control of heat treatment for each dish separately
- Door constitution: Vented safety double glass, removable for easy cleaning

SAP Code	00014965	Type of gas	Natural Gas
Net Width [mm]	1200	Steam type	Injection
Net Depth [mm]	910	Number of GN / EN	20
Net Height [mm]	1850	GN / EN size in device	GN 2/1
Net Weight [kg]	400.00	GN device depth	65
Power electric [kW]	1.600	Control type	Touchscreen + buttons
Loading	230 V / 1N - 50 Hz	Display size	9"
Power gas [kW]	54.000		

Technical parameters





Combi convection steam oven	STEAMBOX gas 20x G	N 2/1 automatic cleaning direct steam left door
Model	SAP Code	00014965
1. SAP Code: 00014965		14. Type of gas: Natural Gas
2. Net Width [mm]: 1200		15. Material: AISI 304
3. Net Depth [mm]: 910		16. Exterior color of the device: Stainless steel
4. Net Height [mm]: 1850		17. Adjustable feet: Yes
5. Net Weight [kg]: 400.00		18. Humidity control: MeteoSystem - regulation based on direct measurement of humidity in the chamber (patented)
6. Gross Width [mm]: 1320		19. Stacking availability: No
7. Gross depth [mm]: 1130		20. Control type: Touchscreen + buttons
8. Gross Height [mm]: 2100		21. Additional information: Version with left door (hinges on the left, handle on the right)
9. Gross Weight [kg]: 410.00		22. Steam type: Injection
10. Device type: Gas unit		23. Chimney for moisture extraction: Yes
11. Power electric [kW]: 1.600		24. Delayed start: Yes
12. Loading: 230 V / 1N - 50 Hz		25. Display size: 9"
13. Power gas [kW]:		26. Delta T heat preparation:

54.000

Yes

Technical data sheet



Technical parameters

Combi convection steam oven STEAMBOX gas 20x GN 2/	Combi convection steam oven STEAMBOX gas 20x GN 2/1 automatic cleaning direct steam left door				
Model SAP Code	00014965				
7. Automatic preheating: Yes	40. Sustaince box: Yes				
8. Automatic cooling: Yes	41. Probe: Yes				
9. Unified finishing of meals EasyService: Yes	42. Shower: Hand winder				
0. Night cooking: Yes	43. Distance between the layers [mm]: 70				
1. Washing system: Closed - efficient use of water and washing chemicals by repeated pumping	44. Smoke-dry function: Yes				
2. Detergent type: Liquid washing detergent + liquid rinse aid/vinegar or washing tablets	45. Interior lighting: Yes				
3. Multi level cooking: Drawer program - control of heat treatment for each dish separately	46. Low temperature heat treatment: Yes				
4. Advanced moisture adjustment: Supersteam - two steam saturation modes	47. Number of fans: 2				
5. Slow cooking: from 50 °C	48. Number of fan speeds:				
6. Fan stop: Immediate when the door is opened	49. Number of programs: 1000				
7. Lighting type: LED lighting in the doors, on both sides	50. USB port: Yes, for uploading recipes and updating firmware				
88. Cavity material and shape: AISI 304, with rounded corners for easy cleaning	51. Door constitution: Vented safety double glass, removable for easy clear				

52. Number of preset programs:

Yes

39. Reversible fan:

Technical data sheet



Technical parameters

Combi convection steam oven	STEAMBOX gas 20x G	N 2/1 automatic cleaning direct steam left door	
Model	SAP Code	00014965	
53. Number of recipe steps:		58. Number of GN / EN:	
54. Minimum device temperature [°C]: 50		59. GN / EN size in device: GN 2/1	
55. Maximum device temperatu	re [°C]:	60. GN device depth: 65	
56. Device heating type: Combination of steam and hot	air	61. Food regeneration: Yes	
57. HACCP:			

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com

Yes