# Technical data sheet

Product features

## Fry-top griddle plate 71x65 electric chromed smooth on open cabinet 400 V

| Model | SAP Code | 00012297 |
|---|---|---|



- – Top type: Smooth
- – Worktop material: Chrome plated steel
- – Maximum device temperature [°C]: 300

| | | | |
|---|---|---|---|
| **SAP Code** | 00012297 | **Net Weight [kg]** | 126.00 |
| **Net Width [mm]** | 800 | **Power electric [kW]** | 12.000 |
| **Net Depth [mm]** | 900 | **Loading** | 400 V / 3N - 50 Hz |
| **Net Height [mm]** | 900 | **Top type** | Smooth |

# Technical data sheet

**REDFOX®**

| Fry-top griddle plate 71x65 electric chromed smooth on open cabinet 400 V | | |
|---|---|---|
| **Model** | **SAP Code** | 00012297 |

**1**

**All-stainless design**

long life
corrosion resistance of the top plate material

– savings on service interventions
– higher corrosion resistance

**2**

**Degree of protection of the control elements IPX4**

maintenance-free system
resistance to splash water
long life

– savings on service interventions
– easy cleaning and maintenance of equipment

**3**

**Outlet for waste liquids**

ensures that oil drips into the socket

– easy maintenance
– easy cleaning

**4**

**High detachable hem**

better hygienic conditions
preventing grease from splashing onto
ancillary equipment

– easy maintenance
– easy cleaning

**5**

**Smooth plate made of chrome-plated steel**

the product bakes less and is easier to clean
a good warming of the meat with a groove

– time-saving for food preparation
– no reheating and long cooking times

**6**

**Two-zone hotplate control**

allows you to prepare several dishes at the same time in
different stages of preparation

– time saving
– high productivity

| Fry-top griddle plate 71x65 electric chromed smooth on open cabinet 400 V | | |
|---|---|---|
| **Model** | **SAP Code** | 00012297 |

**1. SAP Code:**
00012297

**2. Net Width [mm]:**
800

**3. Net Depth [mm]:**
900

**4. Net Height [mm]:**
900

**5. Net Weight [kg]:**
126.00

**6. Gross Width [mm]:**
970

**7. Gross depth [mm]:**
840

**8. Gross Height [mm]:**
1160

**9. Gross Weight [kg]:**
145.00

**10. Device type:**
Electric unit

**11. Construction type of device:**
Stationary

**12. Power electric [kW]:**
12.000

**13. Loading:**
400 V / 3N - 50 Hz

**14. Protection of controls:**
IPX4

**15. Material:**
AISI 304 top plate, AISI 430 cladding

**16. Worktop material:**
Chrome plated steel

**17. Worktop Thickness [mm]:**
15.00

**18. Maximum device temperature [°C]:**
300

**19. Minimum device temperature [°C]:**
50

**20. Adjustable feet:**
Yes

**21. Top type:**
Smooth