

Technical data sheet

Product features



8-plate electric stove with 400 V substructure

Model

SAP Code

00002954



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 3,5
- Power consumption of the zone 2 [kW]: 3,5
- Power consumption of the zone 3 [kW]: 3,5
- Power consumption of the zone 4 [kW]: 3,5
- Power consumption of the zone 5 [kW]: 3,5
- Power consumption of the zone 6 [kW]: 3,5
- Protection of controls: IPX5
- Material: AISI 304

SAP Code	00002954	Power consumption of the zone 2 [kW]	3,5
Net Width [mm]	1600	Power consumption of the zone 3 [kW]	3,5
Net Depth [mm]	900	Power consumption of the zone 4 [kW]	3,5
Net Height [mm]	900	Power consumption of the zone 5 [kW]	3,5
Net Weight [kg]	128.00	Power consumption of the zone 6 [kW]	3,5
Power electric [kW]	28.000	Power consumption of the zone 7 [kW]	3,5
Loading	400 V / 3N - 50 Hz	Power consumption of the zone 8 [kW]	3,5
Number of zones	8	Diameter of device [mm]	300
Power consumption of the zone 1 [kW]	3,5		

Technical data sheet

Product benefits



8-plate electric stove with 400 V substructure

Model

SAP Code

00002954

1

Internal thermostatic plate protection

longer service life of the plates

- no overheating of the plates and no cracking

2

Degree of protection of the control elements IPX5

maintenance-free system

resistance to splash water

long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3

All-stainless design

the material does not cut

wear resistance of the material

long life

- savings on service interventions
- easy cleaning and maintenance of equipment

4

Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick)

smooth transitions

- easy quick cleaning

Technical data sheet

Technical parameters



8-plate electric stove with 400 V substructure

Model

SAP Code

00002954

1. SAP Code:

00002954

2. Net Width [mm]:

1600

3. Net Depth [mm]:

900

4. Net Height [mm]:

900

5. Net Weight [kg]:

128.00

6. Gross Width [mm]:

1670

7. Gross depth [mm]:

1050

8. Gross Height [mm]:

1120

9. Gross Weight [kg]:

154.00

10. Device type:

Electric unit

11. Construction type of device:

With substructure

12. Power electric [kW]:

28.000

13. Loading:

400 V / 3N - 50 Hz

14. Protection of controls:

IPX5

15. Exterior color of the device:

Stainless steel

16. Material:

AISI 304

17. Worktop type:

Molded - comfortable cleaning maintenance

18. Worktop material:

AISI 304

19. Worktop Thickness [mm]:

2.00

20. Number of zones:

8

21. Power consumption of the zone 1 [kW]:

3,5

22. Power consumption of the zone 2 [kW]:

3,5

23. Power consumption of the zone 3 [kW]:

3,5

24. Power consumption of the zone 4 [kW]:

3,5

25. Power consumption of the zone 5 [kW]:

3,5

26. Power consumption of the zone 6 [kW]:

3,5

27. Power consumption of the zone 7 [kW]:

3,5

28. Power consumption of the zone 8 [kW]:

3,5

Technical data sheet

Technical parameters



8-plate electric stove with 400 V substructure

Model

SAP Code

00002954

29. Maximum device temperature [°C]:

300

30. Minimum device temperature [°C]:

50

31. Number of power control stages:

6

32. Service accessibility:

From the front by removing the front panel and waste fluid containers

33. Safety thermostat:

Yes

34. Adjustable feet:

Yes

35. Number of burners/hot plates:

8

36. Diameter of device [mm]:

300

37. Burner type:

Cast iron, detachable, with internal and external combustion

38. Type of electric cooking zones:

Oval

39. Cross-section of conductors CU [mm²]:

10

- Výkon (kW): 5,7-6,6 (230 V); 9,8-11 (400 V)