

# Technical data sheet

## Product features



### Fry-top griddle plate smooth chromed

<b>Model</b>	<b>SAP Code</b>	00009680
--------------	-----------------	----------



- Top type: Smooth
- Griddle dimensions [mm x mm]: 560 x 770
- Griddle thickness [mm]: 12.00
- Worktop material: AISI 304
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone
- Maximum device temperature [°C]: 300
- Surface finish: polished chrome 0.03 mm
- Removable rim: Yes
- Removable grid: No

<b>SAP Code</b>	00009680	<b>Power electric [kW]</b>	9.000
<b>Net Width [mm]</b>	800	<b>Loading</b>	400 V / 3N - 50 Hz
<b>Net Depth [mm]</b>	730	<b>Griddle dimensions [mm x mm]</b>	560 x 770
<b>Net Height [mm]</b>	300	<b>Top type</b>	Smooth
<b>Net Weight [kg]</b>	72.20	<b>Worktop type</b>	Molded - comfortable cleaning maintenance

# Technical data sheet

Technical drawing




## Fry-top griddle plate smooth chromed

Model

SAP Code

00009680



# Technical data sheet

## Technical parameters



### Fry-top griddle plate smooth chromed

<b>Model</b>	<b>SAP Code</b>	00009680
--------------	-----------------	----------

**1. SAP Code:**

00009680

**2. Net Width [mm]:**

800

**3. Net Depth [mm]:**

730

**4. Net Height [mm]:**

300

**5. Net Weight [kg]:**

72.20

**6. Gross Width [mm]:**

840

**7. Gross depth [mm]:**

800

**8. Gross Height [mm]:**

480

**9. Gross Weight [kg]:**

81.00

**10. Device type:**

Electric unit

**11. Construction type of device:**

Table top

**12. Power electric [kW]:**

9.000

**13. Loading:**

400 V / 3N - 50 Hz

**14. Protection of controls:**

IP24

**15. Exterior color of the device:**

Stainless steel

**16. Material:**

AISI 304 top plate and cladding

**17. Indicators:**

operation and warm-up

**18. Worktop type:**

Molded - comfortable cleaning maintenance

**19. Worktop material:**

AISI 304

**20. Worktop Thickness [mm]:**

1.50

**21. Surface finish:**

polished chrome 0.03 mm

**22. Maximum device temperature [°C]:**

300

**23. Minimum device temperature [°C]:**

50

**24. Service accessibility:**

Trough the frontal panel

**25. Safety thermostat:**

Yes

**26. Safety thermostat up to x ° C:**

360

**27. Griddle dimensions [mm x mm]:**

560 x 770

**28. Griddle thickness [mm]:**

12.00

# Technical data sheet

Technical parameters



## Fry-top griddle plate smooth chromed

**Model**

**SAP Code**

00009680

**29. Container for liquid fat:**

Yes

**32. Removable rim:**

Yes

**30. Removable device container:**

No

**33. Removable grid:**

No

**31. Independent heating zones:**

Separate control for each heating zone

**34. Top type:**

Smooth