

# Technical data sheet

Product features



## Fry Top Griddle grooved chrome

<b>Model</b>	<b>SAP Code</b>	00020641
--------------	-----------------	----------

- Top type: Grooved
- Griddle dimensions [mm x mm]: 560 x 770
- Griddle thickness [mm]: 12.00
- Worktop material: AISI 304
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone
- Maximum device temperature [°C]: 300
- Surface finish: polished chrome 0.03 mm
- Removable rim: Yes

<b>SAP Code</b>	00020641	<b>Power electric [kW]</b>	9.000
<b>Net Width [mm]</b>	800	<b>Loading</b>	400 V / 3N - 50 Hz
<b>Net Depth [mm]</b>	730	<b>Griddle dimensions [mm x mm]</b>	560 x 770
<b>Net Height [mm]</b>	300	<b>Top type</b>	Grooved
<b>Net Weight [kg]</b>	72.20	<b>Worktop type</b>	Molded - comfortable cleaning maintenance

# Technical data sheet

Technical drawing




## Fry Top Griddle grooved chrome

Model

SAP Code

00020641



# Technical data sheet

## Technical parameters



### Fry Top Griddle grooved chrome

**Model**

**SAP Code**

00020641

**1. SAP Code:**

00020641

**2. Net Width [mm]:**

800

**3. Net Depth [mm]:**

730

**4. Net Height [mm]:**

300

**5. Net Weight [kg]:**

72.20

**6. Gross Width [mm]:**

840

**7. Gross depth [mm]:**

800

**8. Gross Height [mm]:**

480

**9. Gross Weight [kg]:**

81.00

**10. Device type:**

Electric unit

**11. Construction type of device:**

Table top

**12. Power electric [kW]:**

9.000

**13. Loading:**

400 V / 3N - 50 Hz

**14. Protection of controls:**

IP24

**15. Exterior color of the device:**

Stainless steel

**16. Material:**

AISI 304 top plate and cladding

**17. Indicators:**

operation and warm-up

**18. Worktop type:**

Molded - comfortable cleaning maintenance

**19. Worktop material:**

AISI 304

**20. Worktop Thickness [mm]:**

1.50

**21. Surface finish:**

polished chrome 0.03 mm

**22. Maximum device temperature [°C]:**

300

**23. Minimum device temperature [°C]:**

50

**24. Service accessibility:**

Trough the frontal panel

**25. Safety thermostat:**

Yes

**26. Safety thermostat up to x ° C:**

360

**27. Griddle dimensions [mm x mm]:**

560 x 770

**28. Griddle thickness [mm]:**

12.00

# Technical data sheet

Technical parameters



## Fry Top Griddle grooved chrome

**Model**

**SAP Code**

00020641

### 29. Container for liquid fat:

Yes

### 30. Removable device container:

No

### 31. Independent heating zones:

Separate control for each heating zone

### 32. Removable rim:

Yes

### 33. Uniform heating:

Yes

### 34. Top type:

Grooved

### 35. Cross-section of conductors CU [mm<sup>2</sup>]:

2

– Výkon (kW): 9-11 (230 V); 15-19 (400 V)