1305

1185

412

148.00

12.000

400 V / 3N - 50 Hz

Product features



Pizza oven 1 chamber 9x d=33 cm				
Model	SAP Code	00007281		
		 Pizza capacity [cm]: 9x 33 cm Stoneplates: Bottom and top Material: Stainless steel Control type: Mechanical Steam protection: Yes Independent heating zones: Sepachamber, separate control for the heating element Type of construction: single stores Chimney for moisture extraction: Adjustable chimney: Yes Interior lighting: Yes 	upper and lower y	
SAP Code	00007281	Minimum device tem- perature [°C]	50	

Maximum device tem-

Width of internal part [mm]

Depth of internal part [mm]

Height of internal part [mm]

Pizza capacity [cm]

perature [°C]

450

1050

1050

150

9x 33 cm

Net Width [mm]

Net Depth [mm]

Net Height [mm]

Net Weight [kg]


Loading

Power electric [kW]


ᆈ

Technical drawing





412



Product benefits





Technical parameters



Pizza oven 1 chamber 9x d=33 cm	
Model SAP C	ode 00007281
1. SAP Code:	15. Control type:
00007281	Mechanical
2. Net Width [mm]:	16. Width of internal part [mm]:
1305	1050
3. Net Depth [mm]:	17. Depth of internal part [mm]:
1185	1050
4. Net Height [mm]: 412	18. Height of internal part [mm]:
5. Net Weight [kg]:	19. Minimum device temperature [°C]:
148.00	50
6. Gross Width [mm]:	20. Maximum device temperature [°C]:
1285	450
7. Gross depth [mm]:	21. Stacking availability:
1405	Yes
8. Gross Height [mm]:	22. Pizza capacity [cm]:
512	9x 33 cm
9. Gross Weight [kg]:	23. Thermometer:
150.00	Analog
10. Exterior color of the device: Stainless steel	24. Indicators: running and heating the oven
11. Material:	25. Number of internal parts:
Stainless steel	9
12. Device type:	26. On/Off button:
Electric unit	Yes
13. Power electric [kW]:	27. Steam protection:
12.000	Yes
14. Loading:	28. Protection of controls:
400 V / 3N - 50 Hz	IPX4

Technical parameters



Pizza oven 1 chamber 9x d=33 cm			
Model SAP Code	00007281		
29. Stoneplates: Bottom and top	33. Safety element: thermostat		
30. Independent heating zones: Separate control for each chamber, separate control for the upper and lower heating element	34. Number of cavities:		
31. Type of construction: single storey	35. Chimney for moisture extraction: Yes		
32. Interior lighting: Yes	36. Adjustable chimney: Yes		