



Salamander digital 3 heating elements movable upper part Hi-Touch 400 V

Model SAP Code 00008951



- Removable bottom shelf: Yes
- Continuously sliding upper part of the device with heating elements: Yes
- Automatic temperature control: Yes
- Stainless steel holder included for easy wall mounting: Yes
- Automatic switch off at the end of the cycle and acoustic signaling: Yes
- HOLD function for temperature maintenance: Yes
- Number of heating elements: 3 topné elementy, 2 variant ohřevu


SAP Code	00008951	Power electric [kW]	4.500
Net Width [mm]	570	Loading	400 V / 3N - 50 Hz
Net Depth [mm]	580	Removable bottom shelf	Yes
Net Height [mm]	520	Number of heating elements	3 topné elementy, 2 variant ohřevu
Net Weight [kg]	58.00		



Technical drawing

Salamander digital 3 heating elements movable upper part Hi-Touch 400 V

Model SAP Code



00008951





Salamander digital 3 heating elements movable upper part Hi-Touch 400 V

 Model
 SAP Code
 00008951

Vermiculite heating segment cover

immediate barrier-free penetration of heat and light from the heating segments very durable material

- intensive heat treatment of food

Special heating elements,

instant thermal run-up

 salamander does not need to be continuously switched on, food is cooked in real time, no waste heat is generated in the kitchen

Sliding system

a sliding system enabling a smooth shift of the lift and setting the required distance from the food

 convenient control without the need to exert force to adjust the distance needed to cook the food

Programmable

the control panel allows you to set individual times for different foods

 setting of programmed times allows operation by non-expert personnel

Individual zone control

control elements enabling switching on individual zones of the device

saves energy and extends its life

- energy saving
- allows for the preparation of different sized foods

Stainless steel construction

construction material is high quality stainless steel ensuring long life high hygiene standard

- safe food preparation; long service life; easy cleaning

Wall mount

construction allowing hanging on a wall or structure

- space saving in the kitchen; easy access

Automatic shutdown

automatic shutdown at the end of the set cycle acoustic signal

- Prevents food spoilage



Technical parameters

Salamander digital 3 heating elements movable upper part Hi-Touch 400 V				
Model		SAP Code	00008951	
1 CAD Code	_		16 Londings	
1. SAP Code: 00008951			14. Loading: 400 V / 3N - 50 Hz	
2. Net Width [mm]: 570			15. Maximum device temperature [°C]:	
3. Net Depth [mm]: 580			16. Control type: Touchscreen	
4. Net Height [mm]: 520			17. GN / EN size in device: GN 1/1	
5. Net Weight [kg]: 58.00			18. Removable bottom shelf: Yes	
6. Gross Width [mm]: 685			19. Continuously sliding upper part of the device with heating elements: Yes	
7. Gross depth [mm]: 620			20. Automatic temperature control: Yes	
8. Gross Height [mm]: 730			21. Stainless steel holder included for easy wall mounting: Yes	
9. Gross Weight [kg]: 74.00			22. Automatic switch off at the end of the cycle and acoustic signaling: Yes	
10. Device type: Electric unit			23. HOLD function for temperature maintenance: Yes	
11. Material: Stainless steel			24. Number of heating elements: 3 topné elementy, 2 variant ohřevu	
12. Device heating type: Infrared emitter			25. Cross-section of conductors CU [mm²]:	

4.500

13. Power electric [kW]: