

# Technical data sheet

## Product features



### Multifunctional kitchen appliance 1Hundred 10x GN 1/1

|               |                                  |                                |
|---------------|----------------------------------|--------------------------------|
| <b>Model</b>  | <b>SAP Code</b>                  | 00018107                       |
| 1HUNDRED 1011 | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |



- Shock cooling cycle kg / min (+3 ° C): 70/30
- Shock freeze cycle kg / min (-18 ° C): 50/30
- Minimum device temperature [°C]: -40
- Maximum device temperature [°C]: 100
- Probe: 4-points
- Insulation thickness [mm]: 50
- Control type: Touchscreen
- Display size: 9
- User programmable cycles: Yes, with save options
- Thaving cycle: Yes

|                            |                    |                                              |             |
|----------------------------|--------------------|----------------------------------------------|-------------|
| <b>SAP Code</b>            | 00018107           | <b>Number of GN / EN</b>                     | 10          |
| <b>Net Width [mm]</b>      | 967                | <b>GN / EN size in device</b>                | GN 1/1      |
| <b>Net Depth [mm]</b>      | 987                | <b>GN device depth</b>                       | 65          |
| <b>Net Height [mm]</b>     | 1775               | <b>Shock cooling cycle kg / min (+3 ° C)</b> | 70/30       |
| <b>Net Weight [kg]</b>     | 254.00             | <b>Shock freeze cycle kg / min (-18 ° C)</b> | 50/30       |
| <b>Power electric [kW]</b> | 2.390              | <b>Control type</b>                          | Touchscreen |
| <b>Loading</b>             | 400 V / 3N - 50 Hz |                                              |             |


# Technical data sheet

Technical drawing



## Multifunctional kitchen appliance 1Hundred 10x GN 1/1

|               |                                  |                                |
|---------------|----------------------------------|--------------------------------|
| <b>Model</b>  | <b>SAP Code</b>                  | 00018107                       |
| 1HUNDRED 1011 | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |



# Technical data sheet

## Product benefits



### Multifunctional kitchen appliance 1Hundred 10x GN 1/1

|               |                                  |                                |
|---------------|----------------------------------|--------------------------------|
| <b>Model</b>  | <b>SAP Code</b>                  | 00018107                       |
| 1HUNDRED 1011 | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |

1

#### 6 in 1

can replace 6 devices (fridge, freezer, shocker, hotbox, kitchen, oven)

2

#### Stainless steel body and interior

endurance  
hygiene

3

#### Monitoring of HACCP parameters

easy registration of all necessary parameters

4

#### Preset cycles

very simple and intuitive operation

5

#### Slow cooking

better taste  
less weight loss during cooking

6

#### Multipoint probe

precise monitoring of the cooling/freezing/  
cooking temperature

7

#### Thawing

readiness of frozen food for processing on time

8

#### Cooking during the night

the possibility to preset entire program cycles and run them overnight unattended

# Technical data sheet

## Technical parameters



### Multifunctional kitchen appliance 1Hundred 10x GN 1/1

|               |                                  |                                |
|---------------|----------------------------------|--------------------------------|
| <b>Model</b>  | <b>SAP Code</b>                  | 00018107                       |
| 1HUNDRED 1011 | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |

**1. SAP Code:**

00018107

**2. Net Width [mm]:**

967

**3. Net Depth [mm]:**

987

**4. Net Height [mm]:**

1775

**5. Net Weight [kg]:**

254.00

**6. Gross Width [mm]:**

1000

**7. Gross depth [mm]:**

1050

**8. Gross Height [mm]:**

1895

**9. Gross Weight [kg]:**

283.00

**10. Device type:**

Electric unit

**11. Material:**

AISI 304

**12. Exterior color of the device:**

Stainless steel

**13. Opening of device:**

Hinges on the right

**14. Power electric [kW]:**

2.390

**15. Loading:**

400 V / 3N - 50 Hz

**16. Control type:**

Touchscreen

**17. Display size:**

9

**18. Refrigerant:**

R452a

**19. Number of GN / EN:**

10

**20. GN / EN size in device:**

GN 1/1

**21. GN device depth:**

65

**22. Minimum device temperature [°C]:**

-40

**23. Maximum device temperature [°C]:**

100

**24. Shock freeze cycle kg / min (-18 ° C):**

50/30

**25. Shock cooling cycle kg / min (+3 ° C):**

70/30

**26. Insulation thickness [mm]:**

50

**27. Long-term cooling function:**

Yes

**28. Longterm freezing function:**

Yes

# Technical data sheet

## Technical parameters



### Multifunctional kitchen appliance 1Hundred 10x GN 1/1

|               |                                  |                                |
|---------------|----------------------------------|--------------------------------|
| <b>Model</b>  | <b>SAP Code</b>                  | 00018107                       |
| 1HUNDRED 1011 | <b>A group of articles - web</b> | Šokery a multifunkční zařízení |

**29. Probe:**

4-points

**30. Self-diagnostics:**

Yes

**31. Interior lighting:**

Yes

**32. HACCP:**

Yes

**33. Low temperature heat treatment:**

Yes

**34. Low temperature cooking span [°C]:**

52-100

**35. Delta T heat preparation:**

Yes

**36. Thaving cycle:**

Yes

**37. Automatic defrost:**

Yes

**38. Sterilizer:**

No

**39. Adjustable feet:**

Yes

**40. User programmable cycles:**

Yes, with save options

**41. USB port:**

Yes, for HACCP and firmware update

**42. Castors:**

Optional

**43. Real time monitoring paramaters:**

Energy consumption, Chamber temperature, Probe temperature, Graph with the course of temperature and consumption

**44. Cross-section of conductors CU [mm²]:**

0,5