835

412

117.00

8.000

400 V / 3N - 50 Hz

**Product features** 



Pizza oven elongated 1 chamber 6x d=33 cm				
Model	SAP Code	00006147		
		<ul> <li>Pizza capacity [cm]: 6x 33 cm</li> <li>Stoneplates: Lower</li> <li>Stone plates thickness [mm]: 14</li> <li>Material: Stainless steel</li> <li>Control type: Mechanical</li> <li>Type of handle: in the entire length stainless steel</li> <li>Steam protection: Yes</li> <li>Chimney for moisture extraction: Yes</li> <li>Interior lighting: Yes</li> </ul>		
SAP Code	00006147	Minimum device tem- perature [°C]	50	
Net Width [mm]	1305	Maximum device tem- perature [°C]	450	

Width of internal part [mm]

Depth of internal part [mm]

Height of internal part [mm]

Pizza capacity [cm]

1050

700

150

6x 33 cm

Net Depth [mm]


Net Height [mm]

Net Weight [kg]

Loading

Power electric [kW]

Technical drawing





Product benefits



Pizza oven elongated 1 chamber 6x d=33 cm					
Model		SAP Code	00006147		
	Manual controls - Set value	es using rotary knobs			
1	clear and simple user-friendly ter – quick and easy for the user t required for operationlong s	mperature settings to operate, no training			
2	Chamber heating in the ter of 50 to 450°C the temperature range enables th				
	types of dough and meat; can als - we have a crispy pizza in a si a pizza according to the dou not wait long and the opera customers - multiple turns in	so be used for baking hort time - I can make Igh, the customer does tor serves multiple			
3	Fireclay plate 14mm placed below with heaters under the plate proper accumulation and uniformity of heat distribution - no scorching and the pizza is evenly cooked and does not burn, no temperature fluctuation, no need for the cook to check and adjust the baking, lower demands on the knowledge and skills of the pizza maker				
4	Glass set in the door checking the product during heat treatment without having to open the door - I don't lose temperature when baking by unnecessarily opening the door without glass, saving energy				
5	<ul> <li>2x thermostat, separate collower heaters</li> <li>more precise regulation of heat in to the type of dough or food</li> <li>better final quality of the provisional for different comfort for the experienced professionals</li> </ul>	n the chamber, according oduct; no burning, rent treatments, better			
6	Analog thermometer meas temperature in the chamber certainty of the set temperature, set correctly and that the device – I am aware of and can react required temperatures	<b>er</b> I will check whether it is works correctly for me			

Technical parameters



Pizza oven elongated 1 chamber 6x d=33 cm				
Model SA	<b>P Code</b> 00006147			
<b>1. SAP Code:</b> 00006147	<b>15. Width of internal part [mm]:</b> 1050			
<b>2. Net Width [mm]:</b> 1305	<b>16. Depth of internal part [mm]:</b> 700			
<b>3. Net Depth [mm]:</b>	<b>17. Height of internal part [mm]:</b>			
835	150			
<b>4. Net Height [mm]:</b>	<b>18. Minimum device temperature [°C]:</b>			
412	50			
<b>5. Net Weight [kg]:</b>	<b>19. Maximum device temperature [°C]:</b>			
117.00	450			
6. Gross Width [mm]:	<b>20. Stacking availability:</b>			
1350	Yes			
<b>7. Gross depth [mm]:</b>	<b>21. Pizza capacity [cm]:</b>			
940	6x 33 cm			
<b>8. Gross Height [mm]:</b>	<b>22. Thermometer:</b>			
455	Analog			
<b>9. Gross Weight [kg]:</b>	23. Indicators:			
122.00	operation			
10. Material:	<b>24. Number of internal parts:</b>			
Stainless steel	6			
<b>11. Device type:</b>	<b>25. On/Off button:</b>			
Electric unit	Yes			
<b>12. Power electric [kW]:</b> 8.000	<b>26. Type of handle:</b> in the entire length of the door, stainless steel			
<b>13. Loading:</b>	<b>27. Steam protection:</b>			
400 V / 3N - 50 Hz	Yes			
14. Control type:	<b>28. Protection of controls:</b>			
Mechanical	IPX4			

Technical parameters



Pizza oven elongated 1 chamber 6x d=33 cm		
Model SAP C	ode 00006147	
<b>29. Stoneplates:</b> Lower	<b>33. Number of cavities:</b>	
<b>30. Stone plates thickness [mm]:</b> 14	<b>34. Chimney for moisture extraction:</b> Yes	
<b>31. Interior lighting:</b> Yes	<b>35. Adjustable chimney:</b> Yes	
<b>32. Safety element:</b> safety thermostat		

#### tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com