



Universal mixer planetary 3 speed 8 l 230 V

Model SAP Code 00003711



- Control type: Digital
- Safety cover: polycarbonate with squeegee
- Start /stop: Yes
- Safety element: total stop complete stop of the device in case of opening the container protects the operator from injury
- Number of speeds of device: 3
- Standard equipment for device: boiler, whisk, hook, stirrer
- Way of tool mounting: Planets


| SAP Code | 00003711 | Net Weight [kg] | 25.00 |
|-----------------|----------|--|--------------------|
| Net Width [mm] | 300 | Power electric [kW] | 0.200 |
| Net Depth [mm] | 400 | Loading | 230 V / 1N - 50 Hz |
| Net Height [mm] | 580 | Weight capacity of the device container [kg] | 8.00 |




Technical drawing

Universal mixer planetary 3 speed 8 l 230 V

Model SAP Code 00003711









Universal mixer planetary 3 speed 8 l 230 V

 Model
 SAP Code
 00003711

Planetary storage of attachments with 3 speeds

the attachments rotate around their axis and at the same time go around in a circle without the need to rotate the vessel (boiler)

- better mixing of ingredients; better quality of prepared dough
- Additional devices
 the possibility of grinding or grinding, or wiper arms, or handling carts
 - mutifunctionality
- Content 5 80L
 - wide sortiment
 - always the ideal size for every operation
- Safety microswitch
 without closing the microswitch, the machine will not start
 avoiding possible injury to the operator
 - Protective cover with filling opening
 - without closing the microswitch, the machine will not start
 - Ingredients can be added additionally while ensuring the safety of the staff
- great basic equipment
 there is no need to buy additional equipment for whipping or kneading

Whisk, hook, stirrer

- No oil bath
 the robot has a gearbox that is not stored in an oil basin
 no release of gear oil into the food
- Reduction boiler

 possibility to buy a reducing boiler that fits comfortably in a larger machine, but the volume is smaller than the boiler original
 - simplification of working with smaller volumes of raw materials; the customer does not have to buy a second smaller machine afterwards



Technical parameters

| Universal mixer planetary 3 sp | oeed 8 l 230 V | | |
|----------------------------------|----------------|--|--|
| Model | SAP Code | 00003711 | |
| | | | |
| 1. SAP Code: 00003711 | | 13. Number of speeds of device: | |
| 2. Net Width [mm]: 300 | | 14. Control type: Digital | |
| 3. Net Depth [mm]: 400 | | 15. Safety cover: polycarbonate with squeegee | |
| 4. Net Height [mm]: 580 | | 16. Safety element: total stop complete stop of the device in case of opening the container protects the operator from injury | |
| 5. Net Weight [kg]: 25.00 | | 17. Way of tool mounting: Planets | |
| 6. Gross Width [mm]: 330 | | 18. Safety Microswitch: Yes | |
| 7. Gross depth [mm]: 430 | | 19. Start /stop: Yes | |
| 8. Gross Height [mm]: 700 | | 20. Timer: Yes | |
| 9. Gross Weight [kg]: 30.00 | | 21. Standard equipment for device: boiler, whisk, hook, stirrer | |
| 10. Device type: Electric unit | | 22. Unmountable bowl: Yes | |
| 11. Power electric [kW]: 0.200 | | 23. Weight capacity of the device container [kg]: 8.00 | |

12. Loading:

230 V / 1N - 50 Hz