

# Technical data sheet



## Product features

### Freezer cabinet 350 l glass door 7x grid, white

|              |                                  |                                    |
|--------------|----------------------------------|------------------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00009369                           |
| HF 400/G     | <b>A group of articles - web</b> | Refrigeration and freezer cabinets |



- Chamber volume [l]: 340
- Minimum device temperature [°C]: -18
- Maximum device temperature [°C]: -22
- Control type: Digital
- Door lock: Yes
- Opening of device: Hinges on the right

|                            |                    |                                        |       |
|----------------------------|--------------------|----------------------------------------|-------|
| <b>SAP Code</b>            | 00009369           | <b>Chamber volume [l]</b>              | 340   |
| <b>Net Width [mm]</b>      | 585                | <b>Gross Volume [m3]</b>               | 0.784 |
| <b>Net Depth [mm]</b>      | 600                | <b>Net Volume [m3]</b>                 | 0.651 |
| <b>Net Height [mm]</b>     | 1855               | <b>Minimum device temperature [°C]</b> | -18   |
| <b>Net Weight [kg]</b>     | 69.00              | <b>Maximum device temperature [°C]</b> | -22   |
| <b>Power electric [kW]</b> | 0.210              | <b>Refrigerant</b>                     | R600a |
| <b>Loading</b>             | 230 V / 1N - 50 Hz |                                        |       |

# Technical data sheet



## Product benefits

### Freezer cabinet 350 l glass door 7x grid, white

|              |                                  |                                    |
|--------------|----------------------------------|------------------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00009369                           |
| HF 400/G     | <b>A group of articles - web</b> | Refrigeration and freezer cabinets |

1

#### Quality insulation

minimal heat loss

2

#### Two-sided opening

possibility to change the opening from the right to the left side

3

#### All-stainless design

outer shell  
only stainless steel intended for food contact is used  
good maintenance  
zero contamination  
resists even weaker acids

4

#### Automatic defrosting

maintenance-free operation  
continuous defrosting

5

#### Wheels, legs

maintenance-free operation  
continuous defrosting

6

#### Glass door

visible content

# Technical data sheet

## Technical parameters



### Freezer cabinet 350 l glass door 7x grid, white

|              |                                  |                                    |
|--------------|----------------------------------|------------------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00009369                           |
| HF 400/G     | <b>A group of articles - web</b> | Refrigeration and freezer cabinets |

**1. SAP Code:**

00009369

**2. Net Width [mm]:**

585

**3. Net Depth [mm]:**

600

**4. Net Height [mm]:**

1855

**5. Net Weight [kg]:**

69.00

**6. Gross Width [mm]:**

600

**7. Gross depth [mm]:**

650

**8. Gross Height [mm]:**

2010

**9. Gross Weight [kg]:**

84.00

**10. Device type:**

Electric unit

**11. Power electric [kW]:**

0.210

**12. Loading:**

230 V / 1N - 50 Hz

**13. Refrigerant:**

R600a

**14. Cooling type:**

Static with fan

**15. Material:**

Stainless steel

**16. Min ambient temperature [°C]:**

10

**17. Max ambient temperature [°C]:**

43

**18. Device properties 2:**

Freezing

**19. Chamber volume [l]:**

340

**20. Gross Volume [m3]:**

0.784

**21. Net Volume [m3]:**

0.651

**22. Adjustable feet:**

Yes

**23. Opening of device:**

Hinges on the right

**24. Gasket:**

Yes

**25. Number of doors:**

1

**26. Unit:**

Yes

**27. Control type:**

Digital

**28. Door lock:**

Yes

# Technical data sheet

Technical parameters



## Freezer cabinet 350 l glass door 7x grid, white

|              |                                  |                                    |
|--------------|----------------------------------|------------------------------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00009369                           |
| HF 400/G     | <b>A group of articles - web</b> | Refrigeration and freezer cabinets |

### 29. Minimum device temperature [°C]:

-18

### 31. Number of grids:

7

### 30. Maximum device temperature [°C]:

-22

### 32. Cross-section of conductors CU [mm<sup>2</sup>]:

0,5