

Technical data sheet

Product features



Ice maker hollow ice cube 22 g air cooling with drain pump 47 kg/24h

Model	SAP Code	00018539
--------------	-----------------	----------



- Cooling type: Air
- Max ambient temperature [°C]: 43
- Min ambient temperature [°C]: 10
- Type of ice: Hatter
- Weight of ice [g]: 22.00
- Production per day [kg]: 47
- Water consumption [l/h]: 5.30
- Container for ice: Yes
- Ice storage capacity [kg]: 20
- Material: AISI 304

SAP Code	00018539	Cooling type	Air
Net Width [mm]	465	Water consumption [l/h]	5.30
Net Depth [mm]	595	Production per day [kg]	47
Net Height [mm]	894	Type of ice	Hatter
Net Weight [kg]	50.00	Weight of ice [g]	22.00
Power electric [kW]	0.510	Ice storage capacity [kg]	20
Loading	230 V / 1N - 50 Hz	Drain pump	Yes





Technical data sheet

Technical drawing



Ice maker hollow ice cube 22 g air cooling with drain pump 47 kg/24h

Model	SAP Code	00018539
-------	----------	----------



* All measurements in mm.
* Todas las cotas en mm.

Technical data sheet

Product benefits



Ice maker hollow ice cube 22 g air cooling with drain pump 47 kg/24h

Model	SAP Code	00018539
--------------	-----------------	----------

- 1 Firm and crystal clear ice hats**
icy hats without dirt
 - health safety and aesthetic impression
- 2 A3S: System with flexible nozzles with minor vibrations**
prevents limescale from settling.
 - longer life of the device without the need to remove scale
- 3 SFVS front ventilation**
allows the units of the unit to the interior
 - variability of the location of the device
- 4 Cleaning switch**
disconnects the cooling system when circulating water with a limescale removal product
 - saving human work and time
- 5 Motor pump “NEVER STOP” (construction without seal)**
prevents depreciation in hard water
 - longer life of the device without the need to remove scale = economic and time savings
- 6 EASI: Installation and service system - all panels can be removed separately**
easy access for installation and service.
 - saving time, human work, costs
- 7 Printed circuit board at the bottom**
easy service
 - saving time and human work
- 8 Tropical version of the machine (class t)**
adaptation to extreme climatic conditions.
 - use in extreme climatic conditions
- 9 Stif: a construction supported by 4 -steel columns**
strength
 - the possibility of higher loads and a difficult deformation

Technical data sheet

Technical parameters



Ice maker hollow ice cube 22 g air cooling with drain pump 47 kg/24h

Model	SAP Code
	00018539

1. SAP Code:

00018539

2. Net Width [mm]:

465

3. Net Depth [mm]:

595

4. Net Height [mm]:

894

5. Net Weight [kg]:

50.00

6. Gross Width [mm]:

540

7. Gross depth [mm]:

650

8. Gross Height [mm]:

920

9. Gross Weight [kg]:

57.00

10. Device type:

Electric unit

11. Power electric [kW]:

0.510

12. Loading:

230 V / 1N - 50 Hz

13. Refrigerant:

R290

27. Drain pump:

Yes

14. Cooling type:

Air

15. Material:

AISI 304

16. Exterior color of the device:

Stainless steel

17. Min ambient temperature [°C]:

10

18. Max ambient temperature [°C]:

43

19. Additional information:

Max. height with legs 944 mm

20. Production per day [kg]:

47

21. Water consumption [l/h]:

5.30

22. Door of device:

Full

23. Type of ice:

Hatter

- Kloboučkový

24. Weight of ice [g]:

22.00

25. Container for ice:

Yes

26. Ice storage capacity [kg]:

20

29. Water supply connection:

3/4"

Technical data sheet

Technical parameters



Ice maker hollow ice cube 22 g air cooling with drain pump 47 kg/24h

Model

SAP Code

00018539

28. Cross-section of conductors CU [mm²]:

0,5

– Výkon (kW): 2,4-3,3 (230 V)

30. Diameter nominal:

DN 50