

# Technical data sheet

## Product features



### Cooling cabinet 900 l LED light, pastry version EN 60x80 stainless steel

<b>Model</b>	<b>SAP Code</b>	00012385
--------------	-----------------	----------



- GN / EN size in device: EN 600x800
- Chamber volume [l]: 638
- Minimum device temperature [°C]: -2
- Maximum device temperature [°C]: 7
- Insulation thickness [mm]: 90
- Control type: Digital
- Interior lighting: Yes
- Door lock: Yes
- Automatic defrost: Yes
- HACCP: Yes
- Annual energy consumption [kWh]: 812

<b>SAP Code</b>	00012385	<b>Gross Volume [m3]</b>	1.994
<b>Net Width [mm]</b>	1019	<b>Net Volume [m3]</b>	1.710
<b>Net Depth [mm]</b>	803	<b>Number of internal parts</b>	20
<b>Net Height [mm]</b>	2090	<b>Number of GN / EN</b>	24
<b>Net Weight [kg]</b>	128.00	<b>GN / EN size in device</b>	EN 600x800
<b>Power electric [kW]</b>	0.175	<b>Minimum device temperature [°C]</b>	-2
<b>Loading</b>	230 V / 1N - 50 Hz	<b>Maximum device temperature [°C]</b>	7
<b>Chamber volume [l]</b>	638	<b>Refrigerant</b>	R290

# Technical data sheet

Technical drawing






Cooling cabinet 900 l LED light, pastry version EN 60x80 stainless steel

Model

SAP Code

00012385

A= ELECTRICAL CONNECTION



# Technical data sheet

Product benefits



## Cooling cabinet 900 l LED light, pastry version EN 60x80 stainless steel

Model	SAP Code	00012385
-------	----------	----------

- 1 Insulation 90mm**
  - minimal losses
    - energy saving
- 2 Two-sided opening**
  - location variability
    - greater operational efficiency
    - better kitchen ergonomics
- 3 All-stainless design**
  - corrosion resistance
    - longer service life
    - health safety
- 4 Automatic defrosting**
  - nothing needs to be watched
    - always working properly without extra operator requirements
- 5 Wheels, legs**
  - variability
    - user comfort
- 6 High energy class**
  - minimal energy loss
  - high efficiency
  - guaranteed chilled food
    - cost saving
    - hygienic safety

# Technical data sheet

Technical parameters



## Cooling cabinet 900 l LED light, pastry version EN 60x80 stainless steel

Model	SAP Code	00012385
-------	----------	----------

**1. SAP Code:**

00012385

**2. Net Width [mm]:**

1019

**3. Net Depth [mm]:**

803

**4. Net Height [mm]:**

2090

**5. Net Weight [kg]:**

128.00

**6. Gross Width [mm]:**

863

**7. Gross depth [mm]:**

1065

**8. Gross Height [mm]:**

2170

**9. Gross Weight [kg]:**

145.35

**10. Device type:**

Electric unit

**11. Power electric [kW]:**

0.175

**12. Loading:**

230 V / 1N - 50 Hz

**13. Refrigerant:**

R290

**14. Material:**

AISI 304

**15. Exterior color of the device:**

Stainless steel

**16. Max ambient temperature [°C]:**

40

**17. Device properties 2:**

Bakery

**18. GN / EN size in device:**

EN 600x800

**19. Number of internal parts:**

20

**20. Number of GN / EN:**

24

**21. Chamber volume [l]:**

638

**22. Gross Volume [m3]:**

1.994

**23. Net Volume [m3]:**

1.710

**24. Adjustable feet:**

Yes

**25. Insulation thickness [mm]:**

90

**26. Number of doors:**

1

**27. Unit:**

Yes

**28. Control type:**

Digital

# Technical data sheet

Technical parameters



## Cooling cabinet 900 l LED light, pastry version EN 60x80 stainless steel

**Model**

**SAP Code**

00012385

**29. Door lock:**

Yes

**33. Minimum device temperature [°C]:**

-2

**30. Interior lighting:**

Yes

**34. Maximum device temperature [°C]:**

7

**31. HACCP:**

Yes

**35. Automatic defrost:**

Yes

**32. Annual energy consumption [kWh]:**

812

**36. Cross-section of conductors CU [mm<sup>2</sup>]:**

0,5

- Výkon (kW): 2,4-3,3 (230 V)