Product features



8-plate electric stove with 400 V substructure				
Model	SAP Code	00005905		
		 Device type: Electric unit Power consumption of the zone 1 [kW]: 4 Power consumption of the zone 2 [kW]: 4 Power consumption of the zone 3 [kW]: 4 Power consumption of the zone 4 [kW]: 4 Power consumption of the zone 5 [kW]: 4 Power consumption of the zone 6 [kW]: 4 Protection of controls: IPX5 Material: AISI 304 		
SAP Code	00005905	Power consumption of the zone 2 [kW]	4	
Net Width [mm]	1600	Power consumption of the zone 3 [kW]	4	
Net Depth [mm]	900	Power consumption of the zone 4 [kW]	4	
Net Height [mm]	900	Power consumption of the zone 5 [kW]	4	
Net Weight [kg]	160.00	Power consumption of the zone 6 [kW]	4	
Power electric [kW]	32.000	Power consumption of the zone 7 [kW]	4	

4

300

Loading

Number of zones

the zone 1 [kW]

Power consumption of

400 V / 3N - 50 Hz

8

4

Power consumption of the zone 8 [kW]

Diameter of device [mm]

Product benefits





Technical parameters



8-plate electric stove with 400 V substructure	
Model SAP Code	00005905
1. SAP Code: 00005905	15. Material: AISI 304
2. Net Width [mm]: 1600	16. Worktop type: Molded - comfortable cleaning maintenance
3. Net Depth [mm]: 900	17. Worktop material: AISI 304
4. Net Height [mm]: 900	18. Worktop Thickness [mm]: 2.00
5. Net Weight [kg]: 160.00	19. Number of zones:
6. Gross Width [mm]: 1670	20. Power consumption of the zone 1 [kW]:
7. Gross depth [mm]: 1050	21. Power consumption of the zone 2 [kW]:
8. Gross Height [mm]: 1120	22. Power consumption of the zone 3 [kW]:
9. Gross Weight [kg]: 170.00	23. Power consumption of the zone 4 [kW]: 4
10. Device type: Electric unit	24. Power consumption of the zone 5 [kW]:
11. Construction type of device: With substructure	25. Power consumption of the zone 6 [kW]:
12. Power electric [kW]: 32.000	26. Power consumption of the zone 7 [kW]:
13. Loading: 400 V / 3N - 50 Hz	27. Power consumption of the zone 8 [kW]:
14. Protection of controls: IPX5	28. Maximum device temperature [°C]: 300

Technical parameters



8-plate electric stove with 400 V substructure			
Model SAP Code	00005905		
29. Minimum device temperature [°C]: 50	34. Number of burners/hot plates: 8		
30. Number of power control stages:	35. Diameter of device [mm]: 300		
31. Service accessibility: From the front by removing the front panel and waste fluid containers	36. Burner type: Cast iron, detachable, with internal and external combustion		
32. Safety thermostat: Yes	37. Type of electric cooking zones: Squared		
33. Adjustable feet: Yes	38. Cross-section of conductors CU [mm²]: 16 – Výkon (kW): 6,6-9 (230 V); 11-15 (400 V)		