

Technical data sheet

Product features



Steak grill electric double 65x48 tabletop

Model	SAP Code	00006942
-------	----------	----------



- Top type: Smooth
- Griddle dimensions [mm x mm]: 650 x 480 + 320 x 380 + 320 x 380
- Griddle thickness [mm]: 10.00
- Worktop material: AISI 304
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone on the bottom plate and for the top plates
- Maximum device temperature [°C]: 300
- Surface finish: polished chrome 0.03 mm

SAP Code	00006942	Power electric [kW]	12.000
Net Width [mm]	658	Loading	2x 230 V / 1N - 50 Hz + 400 V / 3N - 50 Hz
Net Depth [mm]	654	Griddle dimensions [mm x mm]	650 x 480 + 320 x 380 + 320 x 380
Net Height [mm]	406	Top type	Smooth
Net Weight [kg]	60.00		

Technical data sheet



Product benefits

Steak grill electric double 65x48 tabletop

Model

SAP Code

00006942

1

All-stainless design

only stainless steel intended for food contact is used

- absolutely rust-proof and non-magnetic design
- resists even weak acids easier compliance with hygiene standards (HACCP); easy maintenance and cleaning

2

Surface treatment of the grill plate chrome 0.03mm

non-stickiness of food when frying, easier cleaning of the plate

- faster and easier work for the operator higher food quality

3

Separate control for upper and lower heating

I can control both surfaces independently

- better controllability and energy saving more even cooking of food I can prepare more types of food and faster on one device

4

Upper contact surface with Teflon cloth

no-bake rolls
uniform heating of the roll

- faster and easier work for the operator
- faster preparation
- preserving the shape of the food
- quicker searing of the surface of the food on both sides juicier meat

Technical data sheet

Technical parameters



Steak grill electric double 65x48 tabletop

Model

SAP Code

00006942

1. SAP Code:

00006942

2. Net Width [mm]:

658

3. Net Depth [mm]:

654

4. Net Height [mm]:

406

5. Net Weight [kg]:

60.00

6. Gross Width [mm]:

725

7. Gross depth [mm]:

710

8. Gross Height [mm]:

540

9. Gross Weight [kg]:

65.00

10. Device type:

Electric unit

11. Construction type of device:

Table top

12. Power electric [kW]:

12.000

13. Loading:

2x 230 V / 1N - 50 Hz + 400 V / 3N - 50 Hz

14. Protection of controls:

IPX4

15. Material:

AISI 430

16. Indicators:

operation and warm-up

17. Worktop material:

AISI 304

18. Surface finish:

polished chrome 0.03 mm

19. Maximum device temperature [°C]:

300

20. Minimum device temperature [°C]:

50

21. Griddle dimensions [mm x mm]:

650 x 480 + 320 x 380 + 320 x 380

22. Griddle thickness [mm]:

10.00

23. Container for liquid fat:

Yes

24. Independent heating zones:

Separate control for each heating zone on the bottom plate and for the top plates

25. Uniform heating:

Yes

26. Top type:

Smooth

27. Cross-section of conductors CU [mm²]:

10