

Technical data sheet

Product features



Cutter 5l triphase

Model	SAP Code	00013738
KT 5T	A group of articles - web	Cutters and universal robots



- Material: Stainless steel
- Volume capacity of the container [l]: 5.00
- Control type: Mechanical 24 V: Start, stop, puls
- Safety cover: polycarbonate with squeegee
- Number of revolutions / min: 1400
- Start /stop: Yes
- Safety element: lid microswitch
- Standard equipment for device: smooth knife included in the price of the machine
- Additional information: possibility to order perforated and serrated knife

SAP Code	00013738	Power electric [kW]	1.140
Net Width [mm]	260	Loading	400 V / 3N - 50 Hz
Net Depth [mm]	290	Number of revolutions / min	1400
Net Height [mm]	500	Volume capacity of the container [l]	5.00
Net Weight [kg]	23.50		

Technical data sheet

Technical drawing



Cutter 5l triphase

Model


SAP Code

00013738

KT 5T

A group of
articles - web

Cutters and universal robots



Technical data sheet

Product benefits



Cutter 5l triphase

Model	SAP Code	00013738
KT 5T	A group of articles - web	Cutters and universal robots

1

All-stainless design

robustness
purity

2

Polycarbonate lid

transparent

3

Safety microswitches

safe operations

4

Three knives to choose from

variability of use for chopping, whipping and kneading

5

A trowel

there will be 100% whipping/whipping/cutting...

6

Pulsed and sustained running

the operator has the option of choosing the coarseness of chopping/beating rate

Technical data sheet

Technical parameters



Cutter 5l triphase

Model	SAP Code	00013738
KT 5T	A group of articles - web	Cutters and universal robots

1. SAP Code:

00013738

2. Net Width [mm]:

260

3. Net Depth [mm]:

290

4. Net Height [mm]:

500

5. Net Weight [kg]:

23.50

6. Gross Width [mm]:

340

7. Gross depth [mm]:

385

8. Gross Height [mm]:

755

9. Gross Weight [kg]:

25.50

10. Device type:

Electric unit

11. Material:

Stainless steel

12. Power electric [kW]:

1.140

13. Loading:

400 V / 3N - 50 Hz

14. Volume capacity of the container [l]:

5.00

15. Control type:

Mechanical 24 V: Start, stop, puls

16. Safety cover:

polycarbonate with squeegee

17. Safety element:

lid microswitch

18. Number of revolutions / min:

1400

19. Safety Microswitch:

Yes

20. Start /stop:

Yes

21. Standard equipment for device:

smooth knife included in the price of the machine

22. Additional information:

possibility to order perforated and serrated knife

23. Unmountable bowl:

Yes

24. Suitable operations:

Chopping, whipping and kneading

25. Cross-section of conductors CU [mm²]:

0,5