

# Technical data sheet



## Product features

### Cooking range electric 2x plate without cabinet 400 V

<b>Model</b>	<b>SAP Code</b>	00110092
--------------	-----------------	----------



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 2x hotplates 2.6 kW ø 220 mm
- Power consumption of the zone 2 [kW]: 2,6
- Material: AISI 304 top plate, AISI 430 cladding

<b>SAP Code</b>	00110092	<b>Power electric [kW]</b>	5.200
<b>Net Width [mm]</b>	400	<b>Loading</b>	400 V / 3N - 50 Hz
<b>Net Depth [mm]</b>	700	<b>Number of zones</b>	2
<b>Net Height [mm]</b>	330	<b>Power consumption of the zone 1 [kW]</b>	2x hotplates 2.6 kW ø 220 mm
<b>Net Weight [kg]</b>	20.00	<b>Power consumption of the zone 2 [kW]</b>	2,6

# Technical data sheet




Technical drawing

Cooking range electric 2x plate without cabinet 400 V

Model

SAP Code

00110092



### Cooking range electric 2x plate without cabinet 400 V

<b>Model</b>	<b>SAP Code</b>	00110092
--------------	-----------------	----------

1

#### Round plates

- quick warm-up  
efficient cooking on a round surface with easy  
adhesion to dishes
- time-saving in food preparation
  - easy to use thanks to the large surface area of the  
cooking plates

2

#### Internal thermostatic plate protection

- longer service life of the plates
- no overheating of the plates and no cracking

3

#### Degree of protection of the control elements IPX4

- maintenance-free system  
resistance to splash water  
long life
- savings on service interventions
  - easy cleaning and maintenance of equipment

4

#### All-stainless design

- long life  
resistance of a ground steel plate with  
a thickness of 10 mm
- savings on service interventions
  - higher corrosion resistance

5

#### Hygienic moldings of the top plate

- absence of sharp corners and edges (potential places  
where dirt could stick)  
smooth transitions
- easy quick cleaning

6

#### Cooking unit for use on a table or on a base

- variable use  
the possibility of placement in smaller spaces
- easy handling
  - cost savings on substructure

# Technical data sheet



## Technical parameters

### Cooking range electric 2x plate without cabinet 400 V

<b>Model</b>	<b>SAP Code</b>	00110092
--------------	-----------------	----------

**1. SAP Code:**

00110092

**2. Net Width [mm]:**

400

**3. Net Depth [mm]:**

700

**4. Net Height [mm]:**

330

**5. Net Weight [kg]:**

20.00

**6. Gross Width [mm]:**

440

**7. Gross depth [mm]:**

800

**8. Gross Height [mm]:**

390

**9. Gross Weight [kg]:**

25.00

**10. Device type:**

Electric unit

**11. Construction type of device:**

Table top

**12. Power electric [kW]:**

5.200

**13. Loading:**

400 V / 3N - 50 Hz

**14. Material:**

AISI 304 top plate, AISI 430 cladding

**15. Worktop type:**

Molded - comfortable cleaning maintenance

**16. Worktop material:**

AISI 304

**17. Worktop Thickness [mm]:**

1.20

**18. Number of zones:**

2

**19. Power consumption of the zone 1 [kW]:**

2x hotplates 2.6 kW ø 220 mm

**20. Power consumption of the zone 2 [kW]:**

2,6

**21. Number of power control stages:**

6

**22. Service accessibility:**

Trough the frontal panel

**23. Safety element:**

internal thermostatic protection of the hotplate against overheating

**24. Adjustable feet:**

Yes

**25. Number of burners/hot plates:**

2

**26. Type of electric cooking zones:**

Oval

# Technical data sheet



Technical parameters

Cooking range electric 2x plate without cabinet 400 V

Model

SAP Code

00110092

## 27. Cross-section of conductors CU [mm<sup>2</sup>]:

1

– Výkon (kW): 3,7-5 (230 V); 6,4-8,7 (400 V)