

Technical data sheet



Product features

Cooling cabinet 570 l, stainless steel

Model	SAP Code	00018393
--------------	-----------------	----------



- Chamber volume [l]: 475,3
- Minimum device temperature [°C]: 0
- Maximum device temperature [°C]: 10
- Insulation thickness [mm]: 70
- Control type: Digital
- Interior lighting: No
- Door lock: Yes
- Opening of device: Two-sided
- Annual energy consumption [kWh]: 486

SAP Code	00018393	Gross Volume [m3]	1.229
Net Width [mm]	775	Net Volume [m3]	1.075
Net Depth [mm]	750	Minimum device temperature [°C]	0
Net Height [mm]	1850	Maximum device temperature [°C]	10
Net Weight [kg]	98.00	Refrigerant	R290
Power electric [kW]	0.175	Noise of device	50,4-51,1
Loading	230 V / 1N - 50 Hz	Load capacity [kg]	30
Energy class	B	Refrigerant weight [g]	107.00
Chamber volume [l]	475,3	Climate class	4

Technical data sheet

Technical drawing



Cooling cabinet 570 l, stainless steel


Model

SAP Code

00018393

Rozměry

DRR 600 S



Technical data sheet



Technical parameters

Cooling cabinet 570 l, stainless steel

Model

SAP Code

00018393

1. SAP Code:

00018393

2. Net Width [mm]:

775

3. Net Depth [mm]:

750

4. Net Height [mm]:

1850

5. Net Weight [kg]:

98.00

6. Gross Width [mm]:

810

7. Gross depth [mm]:

770

8. Gross Height [mm]:

1970

9. Gross Weight [kg]:

103.00

10. Device type:

Electric unit

11. Power electric [kW]:

0.175

12. Loading:

230 V / 1N - 50 Hz

13. Energy class:

B

14. Refrigerant:

R290

15. Cooling type:

Static with fan

16. Material:

Stainless steel

17. Min ambient temperature [°C]:

10

18. Max ambient temperature [°C]:

38

19. Device properties 2:

Cooling

20. Chamber volume [l]:

475,3

21. Gross Volume [m3]:

1.229

22. Net Volume [m3]:

1.075

23. Adjustable feet:

Yes

24. Insulation thickness [mm]:

70

25. Opening of device:

Two-sided

26. Gasket:

Yes

27. Number of doors:

1

28. Unit:

Yes

Technical data sheet



Technical parameters

Cooling cabinet 570 l, stainless steel

Model

SAP Code

00018393

29. Control type:

Digital

36. Noise of device:

50,4-51,1

30. Door lock:

Yes

37. Load capacity [kg]:

30

31. Interior lighting:

No

38. Refrigerant weight [g]:

107.00

32. Annual energy consumption [kWh]:

486

39. Number of grids:

4

33. Minimum device temperature [°C]:

0

40. Grid size [mm x mm]:

659x505

34. Maximum device temperature [°C]:

10

41. Climate class:

4

35. Thaving cycle:

Yes

42. Cross-section of conductors CU [mm²]:

0,5

- Výkon (kW): 2,4-3,3 (230 V)