

Technical data sheet



Product features

Fry-top griddle plate grooved

Model	SAP Code	00013703
--------------	-----------------	----------



- Top type: Grooved
- Griddle dimensions [mm x mm]: 710 x 650
- Griddle thickness [mm]: 15.00
- Worktop material: AISI 304
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone
- Removable rim: Yes
- Ignition: Piezo

SAP Code	00013703	Power gas [kW]	16.000
Net Width [mm]	800	Type of gas	Natural gas, propane butane
Net Depth [mm]	900	Griddle dimensions [mm x mm]	710 x 650
Net Height [mm]	900	Top type	Grooved
Net Weight [kg]	120.00		

Technical data sheet



Technical parameters

Fry-top griddle plate grooved

Model

SAP Code

00013703

1. SAP Code:

00013703

2. Net Width [mm]:

800

3. Net Depth [mm]:

900

4. Net Height [mm]:

900

5. Net Weight [kg]:

120.00

6. Gross Width [mm]:

840

7. Gross depth [mm]:

970

8. Gross Height [mm]:

1160

9. Gross Weight [kg]:

135.00

10. Device type:

Gas unit

11. Construction type of device:

Stationary

12. Power gas [kW]:

16.000

13. Ignition:

Piezo

14. Type of gas:

Natural gas, propane butane

15. Protection of controls:

IPX4

16. Material:

AISI 304 top plate, AISI 430 cladding

17. Indicators:

operation and warm-up

18. Worktop material:

AISI 304

19. Worktop Thickness [mm]:

1.50

20. Service accessibility:

From the front by removing the front panel and waste fluid containers

21. Safety thermocouple:

Yes

22. Adjustable feet:

Yes

23. Griddle dimensions [mm x mm]:

710 x 650

24. Griddle thickness [mm]:

15.00

25. Container for liquid fat:

Yes

26. Independent heating zones:

Separate control for each heating zone

27. Removable rim:

Yes

28. Uniform heating:

Yes

Technical data sheet



Technical parameters

Fry-top griddle plate grooved

Model

SAP Code

00013703

29. Top type:

Grooved

30. Connection to a ball valve:

1/2