

Technical data sheet



Product features

Electric crepés machine d=35 cm 230 V

Model	SAP Code	00000381
--------------	-----------------	----------



- Surface finish: enameled cast iron
- Diameter of device [mm]: 350
- Minimum device temperature [°C]: 50
- Maximum device temperature [°C]: 270
- Indicators: operation and warm-up
- Standard equipment for device: including wooden accessories - turner and spreader

SAP Code	00000381	Loading	230 V / 1N - 50 Hz
Net Width [mm]	380	Surface finish	enameled cast iron
Net Depth [mm]	380	Diameter of device [mm]	350
Net Height [mm]	190	Minimum device temperature [°C]	50
Net Weight [kg]	12.00	Maximum device temperature [°C]	270
Power electric [kW]	2.400		

Technical data sheet



Product benefits

Electric crepés machine d=35 cm 230 V

Model

SAP Code

00000381

1

All-stainless design of the cladding except for the hotplate

only stainless steel intended for food contact is used

- absolutely rust-proof and non-magnetic design
- resists even weak acids easier compliance with hygiene standards (HACCP); easy maintenance and cleaning

2

Run and warm-up light

optical possibility to check the status of the device

- the operator immediately knows the on/off, heating/ non-heating state of the appliance

3

Cast iron enamelled plate

suitable material for pancake makers

- quality heating and non-scorching surface of the pancake cooker plate even heat distribution quality and evenly prepared pancakes

4

Plate with a diameter of 350 mm

large frying surface

- possibility to make large pancakes

Technical data sheet



Technical parameters

Electric crepés machine d=35 cm 230 V

Model

SAP Code

00000381

1. SAP Code:

00000381

2. Net Width [mm]:

380

3. Net Depth [mm]:

380

4. Net Height [mm]:

190

5. Net Weight [kg]:

12.00

6. Gross Width [mm]:

250

7. Gross depth [mm]:

435

8. Gross Height [mm]:

250

9. Gross Weight [kg]:

15.00

10. Device type:

Electric unit

11. Construction type of device:

Table top

12. Material:

Stainless steel

13. Power electric [kW]:

2.400

14. Loading:

230 V / 1N - 50 Hz

15. Standard equipment for device:

including wooden accessories - turner and spreader

16. Minimum device temperature [°C]:

50

17. Maximum device temperature [°C]:

270

18. Protection of controls:

IPX4

19. Indicators:

operation and warm-up

20. Adjustable feet:

Yes

21. Surface finish:

enameled cast iron

22. Diameter of device [mm]:

350