

# Technical data sheet



## Product features

### Cooking range electric 2x plate on open cabinet 400 V

<b>Model</b>	<b>SAP Code</b>	00009403
--------------	-----------------	----------



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 3
- Power consumption of the zone 2 [kW]: 3
- Protection of controls: IPX4

<b>SAP Code</b>	00009403	<b>Power electric [kW]</b>	6.000
<b>Net Width [mm]</b>	500	<b>Loading</b>	400 V / 3N - 50 Hz
<b>Net Depth [mm]</b>	700	<b>Number of zones</b>	2
<b>Net Height [mm]</b>	866	<b>Power consumption of the zone 1 [kW]</b>	3
<b>Net Weight [kg]</b>	56.00	<b>Power consumption of the zone 2 [kW]</b>	3

# Technical data sheet



## Technical parameters

### Cooking range electric 2x plate on open cabinet 400 V

<b>Model</b>	<b>SAP Code</b>	00009403
--------------	-----------------	----------

**1. SAP Code:**

00009403

**2. Net Width [mm]:**

500

**3. Net Depth [mm]:**

700

**4. Net Height [mm]:**

866

**5. Net Weight [kg]:**

56.00

**6. Gross Width [mm]:**

640

**7. Gross depth [mm]:**

800

**8. Gross Height [mm]:**

1065

**9. Gross Weight [kg]:**

63.00

**10. Device type:**

Electric unit

**11. Construction type of device:**

With substructure

**12. Power electric [kW]:**

6.000

**13. Loading:**

400 V / 3N - 50 Hz

**14. Protection of controls:**

IPX4

**15. Indicators:**

operation

**16. Worktop material:**

AISI 304

**17. Worktop Thickness [mm]:**

1.00

**18. Number of zones:**

2

**19. Power consumption of the zone 1 [kW]:**

3

**20. Power consumption of the zone 2 [kW]:**

3

**21. Maximum device temperature [°C]:**

400

**22. Minimum device temperature [°C]:**

50

**23. Number of power control stages:**

6

**24. Adjustable feet:**

Yes

**25. Number of burners/hot plates:**

2

**26. Type of electric cooking zones:**

Squared

# Technical data sheet



Technical parameters

Cooking range electric 2x plate on open cabinet 400 V

Model

SAP Code

00009403

## 27. Cross-section of conductors CU [mm<sup>2</sup>]:

1

– Výkon (kW): 3,7-5 (230 V); 6,4-8,7 (400 V)