Technical data sheet



Product features

Fry-top griddle plate 71x65 electric chromed combined on open cabinet 400 V

Model SAP Code 00012404



- Top type: Combinated
- Worktop material: Chrome plated steel
- Maximum device temperature [°C]: 300

SAP Code	00012404	Net Weight [kg]	126.00
Net Width [mm]	800	Power electric [kW]	12.000
Net Depth [mm]	900	Loading	400 V / 3N - 50 Hz
Net Height [mm]	900	Top type	Combinated

Technical data sheet



Product benefits

Fry-top griddle plate 71x65 electric chromed combined on open cabinet 400 V

Model SAP Code 00012404

All-stainless design

long life

corrosion resistance of the top plate material

- savings on service interventions
- easier and faster operation

Degree of protection of the control elements IPX4

maintenance-free system resistance to splash water long life

- savings on service interventions
- easy cleaning and maintenance of equipment

Outlet for waste liquids

ensures that oil drips into the socket

- easy maintenance
- easy cleaning

High detachable hem

better hygienic conditions preventing grease from splashing onto ancillary equipment

- easy maintenance
- easy cleaning

Combined plate made of chrome-plated steel

the product bakes less

enables preparation on smooth or grooved plates

- time-saving in food preparation
- easy preparation of different types of dishes

Two-zone hotplate control

allows you to prepare several dishes at the same time in different stages of preparation

- time saving
- high productivity

Technical data sheet



Technical parameters

Fry-top griddle plate 71x65 electric chromed combined on open cabinet 400 V			
Model	SAP Code	00012404	
1. SAP Code: 00012404		12. Power electric [kW]: 12.000	
2. Net Width [mm]: 800		13. Loading: 400 V / 3N - 50 Hz	
3. Net Depth [mm]: 900		14. Protection of controls:	
4. Net Height [mm]:		15. Material: AISI 304 top plate, AISI 430 cladding	
5. Net Weight [kg]: 126.00		16. Worktop material: Chrome plated steel	
6. Gross Width [mm]: 970		17. Worktop Thickness [mm]: 15.00	
7. Gross depth [mm]: 840		18. Maximum device temperature [°C]: 300	
8. Gross Height [mm]:		19. Minimum device temperature [°C]: 50	
9. Gross Weight [kg]: 145.00		20. Adjustable feet: Yes	
10. Device type: Electric unit		21. Top type: Combinated	

11. Construction type of device:

Stationary