

Technical data sheet



Product features

Tilting bratt pan manual electric 50 l stainless steel bottom

Model	SAP Code	00110047
--------------	-----------------	----------



- Bottom material: Stainless steel - suitable for cooking, easy maintenance
- Bottom thickness: 12.00
- Basin volume [l]: 50
- Usable volume [l]: 50
- Tilting: Manual
- Filling: Mechanical cock
- Type of pan: Tilting
- Basin shape: Practically shaped bathtub spout to minimize spillage
- Protection of controls: IPX4

SAP Code	00110047	Loading	400 V / 3N - 50 Hz
Net Width [mm]	800	Bottom material	Stainless steel - suitable for cooking, easy maintenance
Net Depth [mm]	700	Basin volume [l]	50
Net Height [mm]	900	Usable volume [l]	50
Net Weight [kg]	134.60	Tilting	Manual
Power electric [kW]	10.500		

Technical data sheet




Technical drawing

Tilting bratt pan manual electric 50 l stainless steel bottom

Model

SAP Code

00110047



Tilting bratt pan manual electric 50 l stainless steel bottom

Model

SAP Code

00110047

1

Stainless steel bottom

the material does not cut
resistance of AISI 304 material
long life

- savings on service interventions
- easier and faster operation

2

Manual folding system

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3

Degree of protection of the control elements IPX4

maintenance-free system
resistance to splash water
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

4

Efficient distribution of heating elements

perfect heat distribution including corners
fast heating

- saving time when cooking
- saving energy
- long service life

Technical data sheet



Technical parameters

Tilting bratt pan manual electric 50 l stainless steel bottom

Model	SAP Code	00110047
--------------	-----------------	----------

1. SAP Code:

00110047

2. Net Width [mm]:

800

3. Net Depth [mm]:

700

4. Net Height [mm]:

900

5. Net Weight [kg]:

134.60

6. Gross Width [mm]:

860

7. Gross depth [mm]:

820

8. Gross Height [mm]:

1079

9. Gross Weight [kg]:

148.10

10. Device type:

Electric unit

11. Construction type of device:

With substructure

12. Power electric [kW]:

10.500

13. Loading:

400 V / 3N - 50 Hz

14. Protection of controls:

IPX4

15. Material:

AISI 304 top plate, AISI 430 cladding

16. Basin volume [l]:

50

17. Maximum device temperature [°C]:

300

18. Minimum device temperature [°C]:

50

19. Safety thermostat:

Yes

20. Safety thermostat up to x ° C:

360

21. Adjustable feet:

Yes

22. Tilting:

Manual

23. Bottom thickness:

12.00

24. Bottom material:

Stainless steel - suitable for cooking, easy maintenance

25. Type of pan:

Tilting

26. Usable volume [l]:

50

27. Filling:

Mechanical cock

28. Basin shape:

Practically shaped bathtub spout to minimize spillage

Technical data sheet



Technical parameters

Tilting bratt pan manual electric 50 l stainless steel bottom

Model

SAP Code

00110047

29. Water filling type:

Cold

31. Water supply connection:

1/2"

30. Cross-section of conductors CU [mm²]:

2,5

– Výkon (kW): 11-17 (230 V); 19-30 (400 V)