

# Technical data sheet



## Product features

### Cooking range gas 4x burner on open cabinet

<b>Model</b>	<b>SAP Code</b>	00012305
--------------	-----------------	----------



- Device type: Gas unit
- Power consumption of the zone 1 [kW]: 8
- Power consumption of the zone 2 [kW]: 8
- Power consumption of the zone 3 [kW]: 5
- Power consumption of the zone 4 [kW]: 3,5
- Protection of controls: IPX4
- Material: AISI 304 top plate, AISI 430 cladding

<b>SAP Code</b>	00012305	<b>Type of gas</b>	Natural gas, propane butane
<b>Net Width [mm]</b>	800	<b>Number of zones</b>	4
<b>Net Depth [mm]</b>	900	<b>Power consumption of the zone 1 [kW]</b>	8
<b>Net Height [mm]</b>	900	<b>Power consumption of the zone 2 [kW]</b>	8
<b>Net Weight [kg]</b>	86.00	<b>Power consumption of the zone 3 [kW]</b>	5
<b>Power gas [kW]</b>	24.500	<b>Power consumption of the zone 4 [kW]</b>	3,5

# Technical data sheet



## Product benefits

### Cooking range gas 4x burner on open cabinet

<b>Model</b>	<b>SAP Code</b>	00012305
--------------	-----------------	----------

1

#### Massive construction of burners

- high performance and efficiency
- brass burners removable
- eternal flame
- long life
- detachable
  - energy saving (perfect combustion)
  - time saving for food preparation
  - easy maintenance/cleaning

2

#### Hygienic moldings of the top plate

- absence of sharp corners and edges (potential places where dirt could stick)
- smooth transitions
  - easy quick cleaning

3

#### Degree of protection of the control elements IPX4

- maintenance-free system
- resistance to splash water
- long life
  - savings on service interventions
  - easy cleaning and maintenance of equipment

4

#### All-stainless design

- long life
- resistance of a ground steel plate with a thickness of 10 mm
  - savings on service interventions
  - higher corrosion resistance

5

#### Safety element – thermocouple

- safe service for staff
- there is no unnecessary gas leakage
- long life
  - savings on service interventions
  - easier and faster operation

6

#### Variability

- the possibility of adding to the current line
- easy possibility of creating one module
- long life
  - cost saving
  - space saving
  - long service life

# Technical data sheet



## Technical parameters

### Cooking range gas 4x burner on open cabinet

**Model**

**SAP Code**

00012305

**1. SAP Code:**

00012305

**2. Net Width [mm]:**

800

**3. Net Depth [mm]:**

900

**4. Net Height [mm]:**

900

**5. Net Weight [kg]:**

86.00

**6. Gross Width [mm]:**

970

**7. Gross depth [mm]:**

840

**8. Gross Height [mm]:**

1160

**9. Gross Weight [kg]:**

96.00

**10. Device type:**

Gas unit

**11. Construction type of device:**

With substructure

**12. Power gas [kW]:**

24.500

**13. Type of gas:**

Natural gas, propane butane

**14. Protection of controls:**

IPX4

**15. Material:**

AISI 304 top plate, AISI 430 cladding

**16. Worktop type:**

With removable containers - convenient maintenance, cleaning and service access

**17. Worktop material:**

AISI 304

**18. Worktop Thickness [mm]:**

1.50

**19. Number of zones:**

4

**20. Power consumption of the zone 1 [kW]:**

8

**21. Power consumption of the zone 2 [kW]:**

8

**22. Power consumption of the zone 3 [kW]:**

5

**23. Power consumption of the zone 4 [kW]:**

3,5

**24. Number of power control stages:**

0

**25. Grid material:**

Stainless steel

**26. Service accessibility:**

Trough the frontal panel

**27. Safety thermocouple:**

Yes

**28. Adjustable feet:**

Yes

# Technical data sheet



Technical parameters

## Cooking range gas 4x burner on open cabinet

<b>Model</b>	<b>SAP Code</b>	00012305
--------------	-----------------	----------

### 29. Number of burners/hot plates:

4

### 31. Burner type:

Brass, detachable

### 30. Type of gas cooking zones:

Classic

### 32. Connection to a ball valve:

1/2