

Technical data sheet



Product features

Clam grill electric 2 cooking areas 65x48 counter top

Model	SAP Code	00001659
--------------	-----------------	----------



- Griddle dimensions [mm x mm]: 650 x 480 + 320 x 380
- Griddle thickness [mm]: 10.00
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone on the bottom plate and for the top plates
- Maximum device temperature [°C]: 300
- Surface finish: polished chrome 0.03 mm

SAP Code	00001659	Net Weight [kg]	60.00
Net Width [mm]	658	Power electric [kW]	9.000
Net Depth [mm]	654	Loading	230 V / 1N - 50 Hz + 400 V / 3N - 50 Hz
Net Height [mm]	406	Griddle dimensions [mm x mm]	650 x 480 + 320 x 380

Technical data sheet



Product benefits

Clam grill electric 2 cooking areas 65x48 counter top

Model

SAP Code

00001659

1

All-stainless design

only stainless steel intended for food contact is used

- absolutely rust-proof and non-magnetic design
- resists even weak acids easier compliance with hygiene standards (HACCP); easy maintenance and cleaning

2

Surface treatment of the grill plate chrome 0.03mm

non-stickiness of food when frying, easier cleaning of the plate

- faster and easier work for the operator higher food quality

3

Separate control for upper and lower heating

I can control both surfaces independently

- better controllability and energy saving more even cooking of food I can prepare more types of food and faster on one device

4

Upper contact surface with Teflon cloth

no-bake rolls
uniform heating of the roll

- faster and easier work for the operator
- faster preparation
- preserving the shape of the food
- quicker searing of the surface of the food on both sides juicier meat

Technical data sheet



Technical parameters

Clam grill electric 2 cooking areas 65x48 counter top

Model

SAP Code

00001659

1. SAP Code:

00001659

2. Net Width [mm]:

658

3. Net Depth [mm]:

654

4. Net Height [mm]:

406

5. Net Weight [kg]:

60.00

6. Gross Width [mm]:

725

7. Gross depth [mm]:

710

8. Gross Height [mm]:

540

9. Gross Weight [kg]:

65.00

10. Device type:

Electric unit

11. Construction type of device:

Table top

12. Power electric [kW]:

9.000

13. Loading:

230 V / 1N - 50 Hz + 400 V / 3N - 50 Hz

14. Protection of controls:

IPX4

15. Material:

AISI 430

16. Indicators:

operation and warm-up

17. Surface finish:

polished chrome 0.03 mm

18. Maximum device temperature [°C]:

300

19. Minimum device temperature [°C]:

50

20. Griddle dimensions [mm x mm]:

650 x 480 + 320 x 380

21. Griddle thickness [mm]:

10.00

22. Container for liquid fat:

Yes

23. Independent heating zones:

Separate control for each heating zone on the bottom plate and for the top plates

24. Uniform heating:

Yes