

# Technical data sheet



## Product features

### Clam grill electric 32x48 counter top

<b>Model</b>	<b>SAP Code</b>	00001658
--------------	-----------------	----------



- Griddle dimensions [mm x mm]: 320 x 480 + 320 x 380
- Griddle thickness [mm]: 10.00
- Container for liquid fat: Yes
- Independent heating zones: Separate control for top and bottom plate
- Maximum device temperature [°C]: 300
- Surface finish: polished chrome 0.03 mm

<b>SAP Code</b>	00001658	<b>Net Weight [kg]</b>	40.00
<b>Net Width [mm]</b>	328	<b>Power electric [kW]</b>	6.000
<b>Net Depth [mm]</b>	654	<b>Loading</b>	230 V / 1N - 50 Hz
<b>Net Height [mm]</b>	406	<b>Griddle dimensions [mm x mm]</b>	320 x 480 + 320 x 380

### Clam grill electric 32x48 counter top

Model

SAP Code

00001658

1

#### All-stainless design

only stainless steel intended for food contact is used

- absolutely rust-proof and non-magnetic design
- resists even weak acids easier compliance with hygiene standards (HACCP); easy maintenance and cleaning

2

#### Surface treatment of the grill plate chrome 0.03mm

non-stickiness of food when frying, easier cleaning of the plate

- faster and easier work for the operator higher food quality

3

#### Separate control for upper and lower heating

I can control both surfaces independently

- better controllability and energy saving more even cooking of food I can prepare more types of food and faster on one device

4

#### Upper contact surface with Teflon cloth

no-bake rolls  
uniform heating of the roll

- faster and easier work for the operator
- faster preparation
- preserving the shape of the food
- quicker searing of the surface of the food on both sides juicier meat

# Technical data sheet



## Technical parameters

### Clam grill electric 32x48 counter top

Model

SAP Code

00001658

**1. SAP Code:**

00001658

**2. Net Width [mm]:**

328

**3. Net Depth [mm]:**

654

**4. Net Height [mm]:**

406

**5. Net Weight [kg]:**

40.00

**6. Gross Width [mm]:**

395

**7. Gross depth [mm]:**

705

**8. Gross Height [mm]:**

482

**9. Gross Weight [kg]:**

44.00

**10. Device type:**

Electric unit

**11. Construction type of device:**

Table top

**12. Power electric [kW]:**

6.000

**13. Loading:**

230 V / 1N - 50 Hz

**14. Protection of controls:**

IPX4

**15. Material:**

AISI 430

**16. Indicators:**

operation and warm-up

**17. Surface finish:**

polished chrome 0.03 mm

**18. Maximum device temperature [°C]:**

300

**19. Minimum device temperature [°C]:**

50

**20. Griddle dimensions [mm x mm]:**

320 x 480 + 320 x 380

**21. Griddle thickness [mm]:**

10.00

**22. Container for liquid fat:**

Yes

**23. Independent heating zones:**

Separate control for top and bottom plate

**24. Uniform heating:**

Yes