



#### Salamander digital 3 heating elements movable upper part automatic 400 V

Model SAP Code 00010737



- Removable bottom shelf: Yes
- Continuously sliding upper part of the device with heating elements: Yes
- Automatic temperature control: Yes
- Stainless steel holder included for easy wall mounting: Yes
- Automatic switch off at the end of the cycle and acoustic signaling: Yes
- HOLD function for temperature maintenance: Yes
- Number of heating elements: 3 heating elements, 7 heating options


SAP Code	00010737	Power electric [kW]	4.500
Net Width [mm]	570	Loading	400 V / 3N - 50 Hz
Net Depth [mm]	580	Removable bottom shelf	Yes
Net Height [mm]	520	Number of heating elements	3 heating elements, 7 heating options
Net Weight [kg]	58.00		



### Technical drawing

Salamander digital 3 heating elements movable upper part automatic 400 V

Model SAP Code 00010737







#### Salamander digital 3 heating elements movable upper part automatic 400 V

Model SAP Code 00010737

#### Vermiculite heating segment cover

immediate barrier-free penetration of heat and light from the heating segments very durable material

- intensive heat treatment of food

#### Special heating elements,

instant thermal run-up

 salamander does not need to be continuously switched on, food is cooked in real time, no waste heat is generated in the kitchen

#### Sliding system

a sliding system enabling a smooth shift of the lift and setting the required distance from the food

 convenient control without the need to exert force to adjust the distance needed to cook the food

#### **Individual zone control**

control elements enabling switching on individual zones of the device

saves energy and extends its life

- energy saving
- allows for the preparation of different sized foods

#### Stainless steel construction

construction material is high quality stainless steel ensuring long life high hygiene standard

- safe food preparation; long service life; easy cleaning

#### **Wall mount**

construction allowing hanging on a wall or structure

– space saving in the kitchen; easy access

#### **Automatic shutdown**

automatic shutdown at the end of the set cycle acoustic signal

- Prevents food spoilage



Technical parameters

Salamander digital 3 heating elements movable upper part automatic 400 V			
Model	SAP Code	00010737	
<b>1. SAP Code:</b> 00010737		<b>14. Loading:</b> 400 V / 3N - 50 Hz	
<b>2. Net Width [mm]:</b> 570		15. Maximum device temperature [°C]: 230	
<b>3. Net Depth [mm]:</b> 580		16. Control type:  Digital	
4. Net Height [mm]: 520		17. GN / EN size in device:	
<b>5. Net Weight [kg]:</b> 58.00		<b>18. Removable bottom shelf:</b> Yes	
<b>6. Gross Width [mm]:</b> 680		19. Continuously sliding upper part of the device with heating elements:  Yes	
7. Gross depth [mm]: 650		<b>20. Automatic temperature control:</b> Yes	
8. Gross Height [mm]: 620		21. Stainless steel holder included for easy wall mounting: Yes	
9. Gross Weight [kg]: 62.00		22. Automatic switch off at the end of the cycle and acoustic signaling:  Yes	
10. Device type: Electric unit		23. HOLD function for temperature maintenance: Yes	
11. Material: Stainless steel		24. Number of heating elements: 3 heating elements, 7 heating options - 3 topné elementy, 7 variant ohřevu	
12. Device heating type: Infrared emitter		25. Cross-section of conductors CU [mm²]:	

4.500

13. Power electric [kW]: