

Technical data sheet

Product features



Meat mincer 2 grinding groups removable grinding unit 300 kg/h 400 V

Model	SAP Code	00004312
TE 22/D ET	A group of articles - web	Meat grinders



- Composition for meat grinders: Two-fold
- Maximal production per hour [kg/h]: 300
- Unmountable head: Yes
- Material: Aluminium
- Diameter of inner matrix [mm]: 8 + 4,5
- Diameter of outer matrix [mm]: 80
- Standard equipment for device: plastic push pin
- Suitable consumer: suitable for medium-sized restaurants
- Additional information: tomato press can be purchased
- Main switch: Yes

SAP Code	00004312	Power electric [kW]	1.100
Net Width [mm]	290	Loading	400 V / 3N - 50 Hz
Net Depth [mm]	450	Maximal production per hour [kg/h]	300
Net Height [mm]	520	Unmountable head	Yes
Net Weight [kg]	25.00	Composition for meat grinders	Two-fold

Technical data sheet

Product benefits



Meat mincer 2 grinding groups removable grinding unit 300 kg/h 400 V

Model	SAP Code	00004312
TE 22/D ET	A group of articles - web	Meat grinders

1

Double fold

better product processing

2

Reverse gear

easy to control

3

Production 300kg/h

large capacity

4

Polished aluminum body

robustness
purity

5

Removable head

robustness
purity

6

Stainless steel hopper

durability
hygienic cleanliness

Technical data sheet

Technical parameters



Meat mincer 2 grinding groups removable grinding unit 300 kg/h 400 V

Model	SAP Code	00004312
TE 22/D ET	A group of articles - web	Meat grinders

1. SAP Code:

00004312

2. Net Width [mm]:

290

3. Net Depth [mm]:

450

4. Net Height [mm]:

520

5. Net Weight [kg]:

25.00

6. Gross Width [mm]:

300

7. Gross depth [mm]:

540

8. Gross Height [mm]:

480

9. Gross Weight [kg]:

27.00

10. Device type:

Electric unit

11. Material:

Aluminium

12. Exterior color of the device:

Stainless steel

13. Power electric [kW]:

1.100

14. Loading:

400 V / 3N - 50 Hz

15. Control type:

Mechanical

16. Suitable consumer:

suitable for medium-sized restaurants

17. Main switch:

Yes

18. Unmountable head:

Yes

19. Maximal production per hour [kg/h]:

300

20. Standard equipment for device:

plastic push pin

21. Additional information:

tomato press can be purchased

22. Composition for meat grinders:

Two-fold

23. Diameter of inner matrix [mm]:

8 + 4,5

24. Diameter of outer matrix [mm]:

80

25. Inverse of device:

Yes

26. Cross-section of conductors CU [mm²]:

1