

# Technical data sheet



## Product features

### Slicer, blade 300 mm jagged

<b>Model</b>	<b>SAP Code</b>	00020274
--------------	-----------------	----------



- Blade type: Serrated
- Blade diameter [mm]: 300
- Cutting thickness [mm]: 1-14
- Transfer type: Strappy
- Material: Aluminium
- Safety cover: transparent plexiglass
- Safety element: Two buttons on off switch.

safety cover

- Table position: Oblique
- On/Off button: Yes

<b>SAP Code</b>	00020274	<b>Power electric [kW]</b>	0.220
<b>Net Width [mm]</b>	470	<b>Loading</b>	230 V / 1N - 50 Hz
<b>Net Depth [mm]</b>	570	<b>Blade type</b>	Serrated
<b>Net Height [mm]</b>	470	<b>Blade diameter [mm]</b>	300
<b>Net Weight [kg]</b>	23.00	<b>Cutting thickness [mm]</b>	1-14

# Technical data sheet



## Product benefits

### Slicer, blade 300 mm jagged

Model

SAP Code

00020274

1

**The slicer is built with polished cast aluminum.**

strength, high corrosion resistance, thermal conductivity  
– longer service life of the cutting machine

2

**Very sturdy and easy to use and clean with little maintenance.**

easy to use and clean  
– time savings

3

**Excellent for cutting meats, vegetables and cheeses.**

variability of use for different foods  
– cost savings

4

**The blade is made in non sticking steel with special grooves.**

the food does not stick, the flow of work  
– time saving, uncomplicated work

5

**Fixed sharpening with bowl to maintain stones clean from food residues.**

the possibility of sharpening the knife without adding a sharpener  
– saving time, manpower, costs

6

**Sliding carriage on teflon bushings with an heavy duty food holder with removable nails for easy cleaning.**

fluidity of work, easy cleaning  
– saving human labor, time

7

**Removing carriage with block sail according to security rules.**

the food cart can be removed  
– higher safety, easy cleaning

8

**Strong fan silenced professional motor.**

lower noise  
– health protection

9

**Two buttons on off switch.**

safety feature  
– health protection, safety

10

**The slicer was designed and manufactured according to international standards for safety, hygiene and food contact.**

meets strict safety and hygiene standards  
– higher safety, hygiene

11

**Slicing thickness 0-14 mm.**

variability of the thickness of the sliced product  
– cost savings

12

**According to the CE rules professional use.**

use in highly specialized and professional operations  
– professional product - prestige

# Technical data sheet



## Technical parameters

Slicer, blade 300 mm jagged

Model

SAP Code

00020274

**1. SAP Code:**

00020274

**2. Net Width [mm]:**

470

**3. Net Depth [mm]:**

570

**4. Net Height [mm]:**

470

**5. Net Weight [kg]:**

23.00

**6. Gross Width [mm]:**

520

**7. Gross depth [mm]:**

660

**8. Gross Height [mm]:**

500

**9. Gross Weight [kg]:**

26.00

**10. Device type:**

Electric unit

**11. Material:**

Aluminium

**12. Exterior color of the device:**

Grey

**13. Power electric [kW]:**

0.220

**14. Loading:**

230 V / 1N - 50 Hz

**15. Control type:**

Electric

**16. Safety cover:**

transparent plexiglass

**17. Safety element:**

Two buttons on off switch.

safety cover

**18. Engine protection:**

ventilator

**19. Main switch:**

Yes

**20. Transfer type:**

Strappy

**21. Standard equipment for device:**

whetstone

**22. Additional information:**

Noise N. 62 DB

**23. Blade type:**

Serrated

**24. Blade diameter [mm]:**

300

**25. On/Off button:**

Yes

**26. Removable moving table:**

Yes

# Technical data sheet



Technical parameters

Slicer, blade 300 mm jagged

Model

SAP Code

00020274

**27. Anti-adhesive blade treatment:**

Yes

**30. Sharpening device:**

Integrated

**28. Table position:**

Oblique

**31. Cutting thickness [mm]:**

1-14

**29. Blade cover material:**

Plastic

**32. Cross-section of conductors CU [mm<sup>2</sup>]:**

0,5

- Výkon (kW): 2,4-3,3 (230 V)