

# Technical data sheet



## Product features

### Fry Top Griddle 97x48 electric durable chrome smooth without cabinet 400 v

|              |                 |          |
|--------------|-----------------|----------|
| <b>Model</b> | <b>SAP Code</b> | 00021064 |
|--------------|-----------------|----------|



- Top type: Smooth
- Griddle dimensions [mm x mm]: 970 x 480
- Griddle thickness [mm]: 10.00
- Worktop material: Chrome plated steel
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone
- Maximum device temperature [°C]: 300
- Surface finish: durable chrome
- Removable rim: No

|                        |          |                                     |                    |
|------------------------|----------|-------------------------------------|--------------------|
| <b>SAP Code</b>        | 00021064 | <b>Power electric [kW]</b>          | 9.000              |
| <b>Net Width [mm]</b>  | 988      | <b>Loading</b>                      | 400 V / 3N - 50 Hz |
| <b>Net Depth [mm]</b>  | 609      | <b>Griddle dimensions [mm x mm]</b> | 970 x 480          |
| <b>Net Height [mm]</b> | 290      | <b>Top type</b>                     | Smooth             |
| <b>Net Weight [kg]</b> | 76.00    |                                     |                    |

# Technical data sheet



## Product benefits

### Fry Top Griddle 97x48 electric durable chrome smooth without cabinet 400 v

Model

SAP Code

00021064

1

#### **Nationheres**

long life  
stainless steel resistance of AISI 304  
the material does not rue

- Savings on service interventions
- easy cleaning of the device

2

#### **Degree of protection of controls IPX4**

maintenance -free  
water resistance  
long life

- Savings on service interventions
- easy cleaning of the device

3

#### **Waste fluid socket**

ensures oil dripping into a socket

- easy maintenance
- easy to clean

4

#### **Tall non -removable hem**

Better Hygienic Conditions  
Preventing fat spraying on a secondary device

- easy maintenance
- easy to clean

5

#### **A smooth horn made of chrome steel**

The product is less baked and cleaned better  
good warming of meat with groove

- saving time when preparing meals
- There is no disabled and long preparation of dishes

6

#### **A kernel for use on a table or on a bedding**

variable use  
Possibility to place in smaller spaces

- easy manipulation
- saving costs on the bedding

# Technical data sheet



## Technical parameters

### Fry Top Griddle 97x48 electric durable chrome smooth without cabinet 400 v

**Model**

**SAP Code**

00021064

**1. SAP Code:**

00021064

**2. Net Width [mm]:**

988

**3. Net Depth [mm]:**

609

**4. Net Height [mm]:**

290

**5. Net Weight [kg]:**

76.00

**6. Gross Width [mm]:**

705

**7. Gross depth [mm]:**

1055

**8. Gross Height [mm]:**

540

**9. Gross Weight [kg]:**

83.00

**10. Device type:**

Electric unit

**11. Construction type of device:**

Table top

**12. Power electric [kW]:**

9.000

**13. Loading:**

400 V / 3N - 50 Hz

**14. Protection of controls:**

IPX4

**15. Material:**

AISI 430

**16. Indicators:**

operation and warm-up

**17. Worktop material:**

Chrome plated steel

**18. Surface finish:**

durable chrome

**19. Maximum device temperature [°C]:**

300

**20. Minimum device temperature [°C]:**

50

**21. Adjustable feet:**

Yes

**22. Griddle dimensions [mm x mm]:**

970 x 480

**23. Griddle thickness [mm]:**

10.00

**24. Container for liquid fat:**

Yes

**25. Independent heating zones:**

Separate control for each heating zone

**26. Removable rim:**

No

**27. Uniform heating:**

Yes

**28. Top type:**

Smooth

# Technical data sheet



Technical parameters

**Fry Top Griddle 97x48 electric durable chrome smooth without cabinet 400 v**

**Model**

**SAP Code**

00021064

## 29. Cross-section of conductors CU [mm<sup>2</sup>]:

2

– Výkon (kW): 9-11 (230 V); 15-19 (400 V)