

# Technical data sheet



## Product features

### Fry-top griddle plate 31x65 electric chromed grooved on open cabinet 400 V

<b>Model</b>	<b>SAP Code</b>	00012400
--------------	-----------------	----------



- Top type: Grooved
- Worktop material: Chrome plated steel
- Maximum device temperature [°C]: 300

<b>SAP Code</b>	00012400	<b>Net Weight [kg]</b>	71.00
<b>Net Width [mm]</b>	400	<b>Power electric [kW]</b>	6.000
<b>Net Depth [mm]</b>	900	<b>Loading</b>	400 V / 3N - 50 Hz
<b>Net Height [mm]</b>	900	<b>Top type</b>	Grooved

# Technical data sheet



## Product benefits

### Fry-top griddle plate 31x65 electric chromed grooved on open cabinet 400 V

Model

SAP Code

00012400

1

#### All-stainless design

long life  
corrosion resistance of the top plate material

- savings on service interventions
- easier and faster operation

2

#### Degree of protection of the control elements IPX4

maintenance-free system  
resistance to splash water  
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3

#### Outlet for waste liquids

ensures that oil drips into the socket

- easy maintenance
- easy cleaning

4

#### High detachable hem

better hygienic conditions  
preventing grease from splashing onto ancillary equipment

- easy maintenance
- easy cleaning

5

#### Grooved plate made of chrome-plated steel

the product bakes less and is easier to clean  
a good warming of the meat with a groove

- time-saving in food preparation
- easy preparation of good-looking food

# Technical data sheet



## Technical parameters

### Fry-top griddle plate 31x65 electric chromed grooved on open cabinet 400 V

<b>Model</b>	<b>SAP Code</b>	00012400
--------------	-----------------	----------

**1. SAP Code:**

00012400

**2. Net Width [mm]:**

400

**3. Net Depth [mm]:**

900

**4. Net Height [mm]:**

900

**5. Net Weight [kg]:**

71.00

**6. Gross Width [mm]:**

970

**7. Gross depth [mm]:**

440

**8. Gross Height [mm]:**

1140

**9. Gross Weight [kg]:**

80.00

**10. Device type:**

Electric unit

**11. Construction type of device:**

Stationary

**12. Power electric [kW]:**

6.000

**13. Loading:**

400 V / 3N - 50 Hz

**14. Protection of controls:**

IPX4

**15. Material:**

AISI 304 top plate, AISI 430 cladding

**16. Worktop material:**

Chrome plated steel

**17. Maximum device temperature [°C]:**

300

**18. Minimum device temperature [°C]:**

50

**19. Adjustable feet:**

Yes

**20. Top type:**

Grooved

**21. Cross-section of conductors CU [mm<sup>2</sup>]:**

1

- Výkon (kW): 3,7-5 (230 V); 6,4-8,7 (400 V)