


Technical data sheet

Product features



Cooking range solid top gas

Model	SAP Code	00020627
ST 708 G	A group of articles - web	Stoves



- Device type: Gas unit
- Power consumption of the zone 1 [kW]: 10,8
- Ignition: Piezo + Eternal Flame
- Material: AISI 304 top plate and cladding

SAP Code	00020627	Power gas [kW]	10.800
Net Width [mm]	800	Type of gas	Natural gas, propane butane
Net Depth [mm]	730	Number of zones	1
Net Height [mm]	300	Power consumption of the zone 1 [kW]	10,8
Net Weight [kg]	83.00	Solid top dimensions [mm x mm]	800 x 580


Technical data sheet

Technical drawing



Cooking range solid top gas

Model	SAP Code	00020627
ST 708 G	A group of articles - web	Stoves



Technical data sheet

Technical parameters



Cooking range solid top gas

Model	SAP Code	00020627
ST 708 G	A group of articles - web	Stoves

1. SAP Code:

00020627

2. Net Width [mm]:

800

3. Net Depth [mm]:

730

4. Net Height [mm]:

300

5. Net Weight [kg]:

83.00

6. Gross Width [mm]:

860

7. Gross depth [mm]:

820

8. Gross Height [mm]:

480

9. Gross Weight [kg]:

95.00

10. Device type:

Gas unit

11. Construction type of device:

Table top

12. Power gas [kW]:

10.800

13. Ignition:

Piezo + Eternal Flame

14. Type of gas:

Natural gas, propane butane

15. Exterior color of the device:

Stainless steel

16. Material:

AISI 304 top plate and cladding

17. Worktop type:

Molded - comfortable cleaning maintenance

18. Worktop material:

AISI 304

19. Worktop Thickness [mm]:

1.50

20. Number of zones:

1

21. Power consumption of the zone 1 [kW]:

10,8

22. Service accessibility:

Trough the frontal panel

23. Safety thermocouple:

Yes

24. Number of burners/hot plates:

1

25. Type of gas cooking zones:

Thales

26. Oven power gas [kW]:

10.80

27. Solid top thickness [mm]:

30

28. Solid top dimensions [mm x mm]:

800 x 580

Technical data sheet

Technical parameters



Cooking range solid top gas

Model	SAP Code	00020627
ST 708 G	A group of articles - web	Stoves

29. Solid top ignition:

Piezo + Eternal Flame

30. Connection to a ball valve:

1/2