

# Technical data sheet

## Product features




### Gas stove 8x burner with base

Model

SAP Code

00005889



- Device type: Gas unit
- Power consumption of the zone 1 [kW]: 7,5
- Power consumption of the zone 2 [kW]: 7,5
- Power consumption of the zone 3 [kW]: 5,5
- Power consumption of the zone 4 [kW]: 5,5
- Power consumption of the zone 5 [kW]: 5,5
- Power consumption of the zone 6 [kW]: 5,5
- Ignition: Eternal flame
- Protection of controls: IPX5
- Material: Stainless steel

SAP Code	00005889	Power consumption of the zone 1 [kW]	7,5
Net Width [mm]	1600	Power consumption of the zone 2 [kW]	7,5
Net Depth [mm]	705	Power consumption of the zone 3 [kW]	5,5
Net Height [mm]	900	Power consumption of the zone 4 [kW]	5,5
Net Weight [kg]	142.00	Power consumption of the zone 5 [kW]	5,5
Power gas [kW]	44.000	Power consumption of the zone 6 [kW]	5,5
Type of gas	Natural gas, propane butane	Power consumption of the zone 7 [kW]	3,5
Number of zones	8	Power consumption of the zone 8 [kW]	3,5

# Technical data sheet

## Product benefits



### Gas stove 8x burner with base

Model

SAP Code

00005889

1

#### Massive construction of burners

high performance and efficiency  
cast iron burners removable  
long life

- energy saving (perfect combustion)
- time saving for food preparation
- easy maintenance/cleaning

2

#### Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick)  
smooth transitions

- easy quick cleaning

3

#### Degree of protection of the control elements IPX5

maintenance-free system  
resistance to splash water  
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

4

#### All-stainless design

the material does not cut  
wear resistance of the material  
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

5

#### Safety element - thermocouple

safe operation for personnel  
there is no overheating and damage to the thallus  
long life

- savings on service interventions
- easier and faster operation

6

#### Piezoelectric ignition

instant flame ignition  
there is no unnecessary gas leakage  
long life

- savings on service interventions
- easier and faster operation

# Technical data sheet

Technical parameters



## Gas stove 8x burner with base

**Model**

**SAP Code**

00005889

**1. SAP Code:**

00005889

**2. Net Width [mm]:**

1600

**3. Net Depth [mm]:**

705

**4. Net Height [mm]:**

900

**5. Net Weight [kg]:**

142.00

**6. Gross Width [mm]:**

1670

**7. Gross depth [mm]:**

850

**8. Gross Height [mm]:**

1110

**9. Gross Weight [kg]:**

152.00

**10. Device type:**

Gas unit

**11. Construction type of device:**

With substructure

**12. Power gas [kW]:**

44.000

**13. Ignition:**

Eternal flame

**14. Type of gas:**

Natural gas, propane butane

**15. Protection of controls:**

IPX5

**16. Material:**

Stainless steel

**17. Worktop type:**

Molded - comfortable cleaning maintenance

**18. Worktop material:**

AISI 304

**19. Worktop Thickness [mm]:**

2.00

**20. Number of zones:**

8

**21. Power consumption of the zone 1 [kW]:**

7,5

**22. Power consumption of the zone 2 [kW]:**

7,5

**23. Power consumption of the zone 3 [kW]:**

5,5

**24. Power consumption of the zone 4 [kW]:**

5,5

**25. Power consumption of the zone 5 [kW]:**

5,5

**26. Power consumption of the zone 6 [kW]:**

5,5

**27. Power consumption of the zone 7 [kW]:**

3,5

**28. Power consumption of the zone 8 [kW]:**

3,5

# Technical data sheet

Technical parameters



## Gas stove 8x burner with base

**Model**

**SAP Code**

00005889

**29. Number of power control stages:**

6

**30. Service accessibility:**

From the front by removing the front panel and waste fluid containers

**31. Safety element:**

thermocouple safety feature

**32. Safety thermocouple:**

Yes

**33. Adjustable feet:**

Yes

**34. Additional information:**

door not included - can be purchased

**35. Number of burners/hot plates:**

8

**36. Type of gas cooking zones:**

Classic

**37. Burner type:**

Cast iron, detachable, with internal and external combustion

**38. Connection to a ball valve:**

1/2