

Product features

Sausage/vegetable steamer twin with tap 2x GN 1/2

Model SAP Code 00005199




- Material: Stainless steel
- Indicators: operation and warm-up
- Minimum device temperature [°C]: 30
- Maximum device temperature [°C]: 90
- Number of GN / EN: 2
- GN / EN size in device: GN 1/2
- GN device depth: 150
- Heating location: Under the bottom of the bathtub
- False bottom: Yes
- Standard equipment for device: hinged lid

SAP Code	00005199	Minimum device tem- perature [°C]	30
Net Width [mm]	534	Maximum device tem- perature [°C]	90
Net Depth [mm]	364	Number of GN / EN	2
Net Height [mm]	244	GN / EN size in device	GN 1/2
Net Weight [kg]	11.42	GN device depth	150
Power electric [kW]	2.000	Drain	Yes
Loading	230 V / 1N - 50 Hz		



Technical drawing

Sausage/vegetable steamer twin with tap 2x GN 1/2				
Model	SAP Code	00005199		





Product benefits

Sausage/vegetable steamer twin with tap 2x GN 1/2	
---	--

 Model
 SAP Code
 00005199

All-stair

All-stainless design

only stainless steel intended for food contact is used

- absolutely rust-proof and non-magnetic design resists even weak acids easier compliance with hygiene standards (HACCP); easy maintenance and cleaning
- 2

Capacity GN 2x1/2150

extra high capacity

- possibility to heat large quantities of sausages at once
- 3

Drain cock with safety lock

the possibility to drain the bath without the need for complex handling of the device

- easy draining of the water from the tub with the spout
- 4

Heaters outside the bath

heating element under the bottom of the bath

- the body is hidden under the bottom of the tub and cannot be accidentally damaged or injure the operator or burn the food
- 5

Warm-up indicator light

optical possibility to check the status of the device $% \left\{ 1,2,\ldots ,n\right\}$

- the operator immediately knows the on/off, heating/ non-heating state of the appliance
- 6

Removable / double bottom

enables the heating of sausages in steam

- there is no leaching of raw material into the water
- the raw material does not crack when cooked in water
- I don't have to heat so much water
- the food retains more of its flavour

7

Split hinged lid

the lid remains on the appliance only the part where I manipulate is open

- less heat loss
- I don't need a space to store the lid
- safer handling



Technical parameters

Sausage/vegetable steamer twin with tap 2x	GN 1/2
Model SAP Code	00005199
1. SAP Code:	14 Loading
00005199	14. Loading: 230 V / 1N - 50 Hz
2. Net Width [mm]:	15. Standard equipment for device:
534	hinged lid
3. Net Depth [mm]:	16. Number of GN / EN:
364	
4. Net Height [mm]:	17. GN / EN size in device: GN 1/2
5. Net Weight [kg]: 11.42	18. GN device depth: 150
6. Gross Width [mm]:	19. Minimum device temperature [°C]:
450	30
7. Gross depth [mm]:	20. Maximum device temperature [°C]:
575	90
8. Gross Height [mm]: 330	21. Protection of controls:
9. Gross Weight [kg]: 13.50	22. Drain: Yes
10. Device type:	23. Indicators:
Electric unit	operation and warm-up
11. Construction type of device:	24. Heating location:
Table top	Under the bottom of the bathtub
12. Material:	25. False bottom:
Stainless steel	Yes
13. Power electric [kW]: 2.000	26. Cross-section of conductors CU [mm²]: 0,5

- Výkon (kW): 2,4-3,3 (230 V)