

Technical data sheet

Product features



Food display island chilled GN 6-1/1 - 200 mm, Inox

| | | |
|--------------|-----------------|----------|
| Model | SAP Code | 00012174 |
|--------------|-----------------|----------|



- Buffet type: GREEN - cooled, static cooling, deep
- Device properties: Chilled
- Number of GN / EN: 6
- GN / EN size in device: GN 1/1
- GN device depth: 200
- Minimum device temperature [°C]: 4
- Maximum device temperature [°C]: 8

| | | | |
|----------------------------|----------|--|--------------------|
| SAP Code | 00012174 | Loading | 230 V / 1N - 50 Hz |
| Net Width [mm] | 2144 | Number of GN / EN | 6 |
| Net Depth [mm] | 650 | GN / EN size in device | GN 1/1 |
| Net Height [mm] | 1488 | GN device depth | 200 |
| Net Weight [kg] | 159.00 | Minimum device temperature [°C] | 4 |
| Power electric [kW] | 0.247 | Maximum device temperature [°C] | 8 |

Technical data sheet

Technical drawing





Food display island chilled GN 6-1/1 - 200 mm, Inox

Model


SAP Code

00012174

A= ELECTRICAL CONNECTION
 D= WATER DISCHARGE Ø14
 E= GAS CONNECTION Ø6 Ø8



| GN | L |
|-----|------|
| 3/1 | 1169 |
| 4/1 | 1494 |
| 6/1 | 2144 |



Technical data sheet

Product benefits



Food display island chilled GN 6-1/1 - 200 mm, Inox

Model

SAP Code

00012174

1

Static cooling

simultaneous use of direct injection and boiler, maintenance of 100% humidity, or its regulation

- less drying of food
- more economical

2

Breathing screen with electric drive

the possibility of easily covering the food

- higher hygienic safety
- ease of use
- attractiveness

3

LED lighting

minimal energy consumption

- economical lighting
- attractive appearance

4

Removable evaporator filter

easy disassembly

- time saving for cleaning

5

All-stainless steel construction

harmless to health for contact with food
robustness

- perfect sanitation
- long service life

6

Rounded corners

basins without sharp edges and corners

- higher hygienic safety
- time saving due to easy cleaning

7

GN insertion up to 2mm

variability of use

- possibility of cooling different types of food and larger volumes
- saving time, space, costs

8

Travel wheels

portable buffet table

- greater flexibility in dispensing
- possibility of use at banquets
- easier and safer handling

9

Breathing galley with trigger

galerka made of hygienic Plexiglas with motorized displacement

- hygienic food protection
- the possibility of sealing before dispensing - extending the shelf life of food

Technical data sheet

Technical parameters



Food display island chilled GN 6-1/1 - 200 mm, Inox

Model

SAP Code

00012174

1. SAP Code:

00012174

2. Net Width [mm]:

2144

3. Net Depth [mm]:

650

4. Net Height [mm]:

1488

5. Net Weight [kg]:

159.00

6. Gross Width [mm]:

2208

7. Gross depth [mm]:

714

8. Gross Height [mm]:

1595

9. Gross Weight [kg]:

182.50

10. Device type:

Electric unit

11. Material:

Stainless steel

12. Buffet type:

GREEN - cooled, static cooling, deep

13. Device properties:

Chilled

14. Power electric [kW]:

0.247

15. Loading:

230 V / 1N - 50 Hz

16. Number of GN / EN:

6

17. GN / EN size in device:

GN 1/1

18. GN device depth:

200

19. Minimum device temperature [°C]:

4

20. Maximum device temperature [°C]:

8

21. Interior lighting:

No

22. Cross-section of conductors CU [mm²]:

0,5

- Výkon (kW): 2,4-3,3 (230 V)

23. Refrigerant:

R290