

# Technical data sheet



## Product features

### Bain marie electric GN 1/2 - 150 counter top

<b>Model</b>	<b>SAP Code</b>	00000057
--------------	-----------------	----------

- Drain: No
- Material: Stainless steel
- Protection of controls: IPX4
- Maximum device temperature [°C]: 90



<b>SAP Code</b>	00000057	<b>Power electric [kW]</b>	0.820
<b>Net Width [mm]</b>	410	<b>Loading</b>	230 V / 1N - 50 Hz
<b>Net Depth [mm]</b>	295	<b>Number of GN / EN</b>	1
<b>Net Height [mm]</b>	220	<b>GN / EN size in device</b>	GN 1/2
<b>Net Weight [kg]</b>	7.00	<b>GN device depth</b>	150

# Technical data sheet



## Product benefits

### Bain marie electric GN 1/2 - 150 counter top

Model

SAP Code

0000057

1

#### All-stainless design

long life  
resistance of AISI 304 stainless steel material  
the material does not cut

- savings on service interventions
- easier and faster operation

2

#### Degree of protection of the control elements IPX4

maintenance-free system  
resistance to splash water  
long life

- savings on service interventions
- easy cleaning and maintenance of equipment

3

#### Easy manipulation

easy portability

- flexibility in the kitchen, can be used for banquets

# Technical data sheet



## Technical parameters

### Bain marie electric GN 1/2 - 150 counter top

Model

SAP Code

00000057

**1. SAP Code:**

00000057

**2. Net Width [mm]:**

410

**3. Net Depth [mm]:**

295

**4. Net Height [mm]:**

220

**5. Net Weight [kg]:**

7.00

**6. Gross Width [mm]:**

350

**7. Gross depth [mm]:**

450

**8. Gross Height [mm]:**

250

**9. Gross Weight [kg]:**

11.00

**10. Device type:**

Electric unit

**11. Construction type of device:**

Table top

**12. Power electric [kW]:**

0.820

**13. Loading:**

230 V / 1N - 50 Hz

**14. Protection of controls:**

IPX4

**15. Material:**

Stainless steel

**16. Indicators:**

operation and warm-up

**17. Maximum device temperature [°C]:**

90

**18. Minimum device temperature [°C]:**

30

**19. Heating element material:**

Incoloy

**20. Drain:**

No

**21. Number of GN / EN:**

1

**22. GN / EN size in device:**

GN 1/2

**23. GN device depth:**

150

**24. Heating location:**

Inside the tank