

Product features

Pizza oven counter top 1 chamber 1x d=35 cm

Model SAP Code 00007249



- Pizza capacity [cm]: 1x 35 cm

- Stoneplates: Lower

- Stone plates thickness [mm]: 14

- Material: Stainless steel

- Control type: Mechanical

- Type of handle: Short, plastic

Steam protection: No

 Independent heating zones: Separate control for upper and lower heating elements

- Chimney for moisture extraction: No

- Adjustable chimney: No

- Interior lighting: Yes

SAP Code	00007249	Minimum device tem- perature [°C]	50
Net Width [mm]	577	Maximum device tem- perature [°C]	300
Net Depth [mm]	537	Width of internal part [mm]	410
Net Height [mm]	273	Depth of internal part [mm]	370
Net Weight [kg]	25.00	Height of internal part [mm]	90
Power electric [kW]	2.000	Pizza capacity [cm]	1x 35 cm
Loading	230 V / 1N - 50 Hz		




Technical drawing

Pizza oven counter top 1 chamber 1x d=35 cm

Model SAP Code

00007249





Product benefits

Pizza oven counter top 1 chamber 1x d=35 cm				
Model	SAP Code	00007249		

1

Stainless steel outer shell construction

easy cleaning, high hygienic standard, long service life

 cost savings on the purchase of a new machine, time savings on cleaning and cleaning comfort

2

Manual controls

clear and simple user-friendly temperature settings

- quick and easy for the user to operate, no training required for operationlong service life
- 3

The device is powered from a regular 230v network

the device can be connected anywhere, in case of sufficient securing

- no need for sufficient costs if I do not have a 400V supply
- 4

Heating the chamber in the temperature range of 50 to 300°C

heating the chamber in the temperature range of 30 to 300 $^{\circ}\text{C}$

- simple small compact pizza oven at a good price.
 ideal for chilled / frozen pizza where we save time and costs
- 5

The fireclay plate is placed in the lower part with the heaters that are under the plate

proper accumulation and uniformity of heat distribution

- no scorching and the pizza is evenly cooked and does not burn, no temperature fluctuation, no need for the cook to check and adjust the baking, lower demands on the knowledge and skills of the pizza maker
- 6

Glass set in the door

construction material is high quality stainless steel ensuring long life

high hygiene standard

 I don't lose temperature when baking by unnecessarily opening the door without glass, saving energy



Technical parameters

Pizza oven counter top 1 chamber 1x d=35 c	m
Model SAP Cod	e 00007249
1. SAP Code: 00007249	15. Width of internal part [mm]: 410
2. Net Width [mm]: 577	16. Depth of internal part [mm]: 370
3. Net Depth [mm]: 537	17. Height of internal part [mm]: 90
4. Net Height [mm]: 273	18. Minimum device temperature [°C]: 50
5. Net Weight [kg]: 25.00	19. Maximum device temperature [°C]:
6. Gross Width [mm]: 560	20. Stacking availability: Yes
7. Gross depth [mm]: 605	21. Pizza capacity [cm]: 1x 35 cm
8. Gross Height [mm]: 325	22. Indicators: operation
9. Gross Weight [kg]: 28.00	23. Number of internal parts:
10. Material: Stainless steel	24. On/Off button: Yes
11. Device type: Electric unit	25. Type of handle: Short, plastic
12. Power electric [kW]: 2.000	26. Steam protection: No
13. Loading: 230 V / 1N - 50 Hz	27. Protection of controls:

28. Stoneplates:

Lower

14. Control type:

Mechanical



Technical parameters

32. Safety element: safety thermostat

Pizza oven counter top 1 chamber 1x d=35 cm				
Model SAP Code	00007249			
29. Stone plates thickness [mm]:	33. Number of cavities:			
14	1			
30. Independent heating zones: Separate control for upper and lower heating elements	34. Chimney for moisture extraction: No			
31. Interior lighting:	35. Adjustable chimney:			
Yes	No			

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com