



Universal mixer planetary 4 speed 80 l 400 V

Model SAP Code 00003714



- Control type: Mechanical
- Safety cover: stainless steel with a filling hole
- Start /stop: Yes
- Safety element: total stop complete stop of the device in case of opening the container protects the operator from injury
- Number of speeds of device: 4
- Standard equipment for device: boiler, whisk, hook, stirrer and kettle handling trolley
- Additional information: meat grinder, vegetable slicer and 40
 I reduction kettle available for purchase
- Mixing system: With a fixed container
- Way of tool mounting: Planets


SAP Code	00003714	Power electric [kW]	2.237
Net Width [mm]	770	Loading	400 V / 3N - 50 Hz
Net Depth [mm]	1050	Bowl lift	Mechanical
Net Height [mm]	1520	Weight capacity of the device container [kg]	80.00
Net Weight [kg]	490.00		




Technical drawing

Universal mixer planetary 4 speed 80 l 400 V

Model SAP Code 00003714









Universal mixer planetary 4 speed 80 l 400 V

 Model
 SAP Code
 00003714

Planetary storage of attachments with 4 speeds

the attachments rotate around their axis and at the same time go around in a circle without the need to rotate the vessel (boiler)

- better mixing of ingredients; better quality of prepared dough
- Additional devices
 the possibility of grinding or grinding, or wiper arms, or handling carts
 - mutifunctionality
- Content 5 80L
 wide sortiment

will not start

- always the ideal size for every operation
- Safety microswitch
 without closing the microswitch, the machine
 will not start
 avoiding possible injury to the operator
 - **Protective cover with filling opening** without closing the microswitch, the machine
 - Ingredients can be added additionally while ensuring the safety of the staff
- Broom, hook, mixer, handling cart
 great basic equipment
 there is no need to buy additional equipment for whipping or kneading
- No oil bath
 the robot has a gearbox that is not stored in an oil basin
 no release of gear oil into the food
- Reduction boiler

 possibility to buy a reducing boiler that fits comfortably in a larger machine, but the volume is smaller than the boiler original
 - simplification of working with smaller volumes of raw materials; the customer does not have to buy a second smaller machine afterwards



Technical parameters

Universal mixer planetary 4 speed 80 l 400 V	
Model SAP Code	00003714
1. SAP Code: 00003714	14. Control type: Mechanical
2. Net Width [mm]: 770	15. Safety cover: stainless steel with a filling hole
3. Net Depth [mm]: 1050	16. Safety element: total stop complete stop of the device in case of opening the container protects the operator from injury
4. Net Height [mm]: 1520	17. Way of tool mounting: Planets
5. Net Weight [kg]: 490.00	18. Safety Microswitch: Yes
6. Gross Width [mm]: 900	19. Start /stop: Yes
7. Gross depth [mm]: 1200	20. Timer: Yes
8. Gross Height [mm]: 1900	21. Standard equipment for device: boiler, whisk, hook, stirrer and kettle handling trolley
9. Gross Weight [kg]: 550.00	22. Additional information: meat grinder, vegetable slicer and 40 l reduction kettle available for purchase
10. Device type: Electric unit	23. Unmountable bowl: Yes
11. Power electric [kW]: 2.237	24. Bowl lift: Mechanical
12. Loading: 400 V / 3N - 50 Hz	25. Suitable operations: Mixing, whipping and kneading

4

13. Number of speeds of device:

26. Mixing system:

With a fixed container



Technical parameters

Universal mixer planetary 4 speed 80 l 400 V				
Model	SAP Code	00003714		

27. Weight capacity of the device container [kg]: 80.00

28. Cross-section of conductors CU $[mm^2]$:

Τ

- Výkon (kW): 3,7-5 (230 V); 6,4-8,7 (400 V)