

# Technical data sheet



## Product features

### Fry Top Griddle 97x48 gas durable chrome combined without cabinet

<b>Model</b>	<b>SAP Code</b>	00021126
--------------	-----------------	----------



- Top type: Combined
- Griddle dimensions [mm x mm]: 970 x 480
- Griddle thickness [mm]: 10.00
- Worktop material: Chrome plated steel
- Container for liquid fat: Yes
- Independent heating zones: Separate control for each heating zone
- Maximum device temperature [°C]: 300
- Surface finish: durable chrome
- Removable rim: No
- Ignition: Piezo

<b>SAP Code</b>	00021126	<b>Power gas [kW]</b>	12.000
<b>Net Width [mm]</b>	988	<b>Type of gas</b>	Natural gas, propane butane
<b>Net Depth [mm]</b>	609	<b>Griddle dimensions [mm x mm]</b>	970 x 480
<b>Net Height [mm]</b>	290	<b>Top type</b>	Combined
<b>Net Weight [kg]</b>	78.00		

# Technical data sheet



## Product benefits

### Fry Top Griddle 97x48 gas durable chrome combined without cabinet

Model

SAP Code

00021126

1

#### Safety element - thermocouple

Safe service for staff  
There is no unnecessary gas leakage  
long life

- Savings on service interventions
- easy and faster service

2

#### Nationheres

long life  
stainless steel resistance of AISI 304  
the material does not rue

- Savings on service interventions
- Easy cleaning and maintenance of equipment

3

#### Degree of protection of controls IPX4

maintenance -free  
water resistance  
long life

- Savings on service interventions
- easy cleaning of the device

4

#### Waste fluid socket

ensures oil dripping into a socket

- easy maintenance
- easy to clean

5

#### Tall non -removable hem

Better Hygienic Conditions  
Preventing fat spraying on a secondary device

- easy maintenance
- easy to clean

6

#### Combined plate made of chrome steel

The product is less baked  
Allows preparation for smooth or grooved plate

- saving time when preparing meals
- Easy to prepare different types of dishes

7

#### A kernel for use on a table or on a bedding

variable  
Possibility to place in smaller spaces

- easy manipulation
- saving costs on the bedding

# Technical data sheet



## Technical parameters

### Fry Top Griddle 97x48 gas durable chrome combined without cabinet

**Model**

**SAP Code**

00021126

**1. SAP Code:**

00021126

**2. Net Width [mm]:**

988

**3. Net Depth [mm]:**

609

**4. Net Height [mm]:**

290

**5. Net Weight [kg]:**

78.00

**6. Gross Width [mm]:**

705

**7. Gross depth [mm]:**

1055

**8. Gross Height [mm]:**

540

**9. Gross Weight [kg]:**

85.00

**10. Device type:**

Gas unit

**11. Construction type of device:**

Table top

**12. Power gas [kW]:**

12.000

**13. Ignition:**

Piezo

**14. Type of gas:**

Natural gas, propane butane

**15. Protection of controls:**

IPX4

**16. Material:**

AISI 430

**17. Worktop material:**

Chrome plated steel

**18. Surface finish:**

durable chrome

**19. Maximum device temperature [°C]:**

300

**20. Minimum device temperature [°C]:**

50

**21. Adjustable feet:**

Yes

**22. Griddle dimensions [mm x mm]:**

970 x 480

**23. Griddle thickness [mm]:**

10.00

**24. Container for liquid fat:**

Yes

**25. Independent heating zones:**

Separate control for each heating zone

**26. Removable rim:**

No

**27. Uniform heating:**

Yes

**28. Top type:**

Combinated

# Technical data sheet



Technical parameters

**Fry Top Griddle 97x48 gas durable chrome combined without cabinet**

**Model**

**SAP Code**

00021126

## 29. Connection to a ball valve:

1/2