

Technical data sheet

Product features



Cooking range electric 4x plate on open cabinet 400 V

Model	SAP Code	00012304
SP 90/80 E	A group of articles - web	Stoves



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 3,5
- Power consumption of the zone 2 [kW]: 3,5
- Power consumption of the zone 3 [kW]: 3,5
- Power consumption of the zone 4 [kW]: 3,5
- Material: AISI 304 top plate, AISI 430 cladding

SAP Code	00012304	Loading	400 V / 3N - 50 Hz
Net Width [mm]	800	Number of zones	4
Net Depth [mm]	900	Power consumption of the zone 1 [kW]	3,5
Net Height [mm]	900	Power consumption of the zone 2 [kW]	3,5
Net Weight [kg]	86.00	Power consumption of the zone 3 [kW]	3,5
Power electric [kW]	14.000	Power consumption of the zone 4 [kW]	3,5

Technical data sheet

Product benefits



Cooking range electric 4x plate on open cabinet 400 V

Model	SAP Code	00012304
SP 90/80 E	A group of articles - web	Stoves

1

Round plates

quick warm-up
efficient cooking on a round surface with easy
adhesion to dishes

2

Internal thermostatic plate protection

longer service life of the plates

3

Degree of protection of the control elements IPX4

maintenance-free system
resistance to splash water
long life

4

All-stainless design

long life
resistance of a ground steel plate with
a thickness of 10 mm

5

Hygienic moldings of the top plate

absence of sharp corners and edges (potential places
where dirt could stick)
smooth transitions

6

Variability

the possibility of adding to the current line
easy possibility of creating one module
long life

Technical data sheet

Technical parameters



Cooking range electric 4x plate on open cabinet 400 V

Model	SAP Code	00012304
SP 90/80 E	A group of articles - web	Stoves

1. SAP Code:

00012304

2. Net Width [mm]:

800

3. Net Depth [mm]:

900

4. Net Height [mm]:

900

5. Net Weight [kg]:

86.00

6. Gross Width [mm]:

970

7. Gross depth [mm]:

840

8. Gross Height [mm]:

1160

9. Gross Weight [kg]:

96.00

10. Device type:

Electric unit

11. Construction type of device:

With substructure

12. Power electric [kW]:

14.000

13. Loading:

400 V / 3N - 50 Hz

14. Material:

AISI 304 top plate, AISI 430 cladding

15. Worktop material:

AISI 304

16. Worktop Thickness [mm]:

1.50

17. Number of zones:

4

18. Power consumption of the zone 1 [kW]:

3,5

19. Power consumption of the zone 2 [kW]:

3,5

20. Power consumption of the zone 3 [kW]:

3,5

21. Power consumption of the zone 4 [kW]:

3,5

22. Number of power control stages:

7

23. Adjustable feet:

Yes

24. Number of burners/hot plates:

4

25. Type of electric cooking zones:

Squared

26. Cross-section of conductors CU [mm²]:

4