

Technical data sheet

Product features



Saladette 2D with lid

Model	SAP Code	00038913
MT 900 N	A group of articles - web	Cooling and freezing tables



- Material: Stainless steel
- GN / EN size in device: 2xGN1/1, 3xGN1/6
- Number of GN / EN: 2
- Number of doors: 2
- Control type: Electric
- Minimum device temperature [°C]: 2
- Maximum device temperature [°C]: 8
- Insulation thickness [mm]: 35
- Unit: Down
- Automatic defrost: Yes

SAP Code	00038913	Number of GN / EN	2
Net Width [mm]	900	GN / EN size in device	2xGN1/1, 3xGN1/6
Net Depth [mm]	700	GN device depth	150
Net Height [mm]	900	Minimum device temperature [°C]	2
Net Weight [kg]	70.00	Maximum device temperature [°C]	8
Power electric [kW]	0.200	Refrigerant	R290
Loading	230 V / 1N - 50 Hz	Worktop material	AISI 304
Energy class	C	Refrigerant weight [g]	80.00
Chamber volume [l]	166	Climate class	4
Number of doors	2		

Technical data sheet

Technical parameters



Saladette 2D with lid

Model

MT 900 N

SAP Code

00038913

A group of articles - web

Cooling and freezing tables

1. SAP Code:

00038913

2. Net Width [mm]:

900

3. Net Depth [mm]:

700

4. Net Height [mm]:

900

5. Net Weight [kg]:

70.00

6. Gross Width [mm]:

970

7. Gross depth [mm]:

765

8. Gross Height [mm]:

1055

9. Gross Weight [kg]:

81.00

10. Device type:

Electric unit

11. Power electric [kW]:

0.200

12. Loading:

230 V / 1N - 50 Hz

13. Energy class:

C

14. Refrigerant:

R290

15. Cooling type:

Static

16. Material:

Stainless steel

17. Exterior color of the device:

Stainless steel

18. Device properties 2:

Cooling

19. GN / EN size in device:

2xGN1/1, 3xGN1/6

20. Number of internal parts:

5

21. Number of GN / EN:

2

22. GN device depth:

150

23. Chamber volume [l]:

166

24. Worktop material:

AISI 304

25. Insulation thickness [mm]:

35

26. Opening of device:

Two-sided

27. Gasket:

Yes

28. Number of doors:

2

Technical data sheet

Technical parameters



Saladette 2D with lid

Model	SAP Code	00038913
MT 900 N	A group of articles - web	Cooling and freezing tables

29. Unit:

Down

35. Number of grids:

2

30. Control type:

Electric

36. Gross Volume [m3]:

0.783

31. Minimum device temperature [°C]:

2

37. Net Volume [m3]:

0.567

32. Maximum device temperature [°C]:

8

38. Climate class:

4

33. Automatic defrost:

Yes

39. Cross-section of conductors CU [mm²]:

0,5

34. Refrigerant weight [g]:

80.00