



Cooking range gas with static gas oven 2x GN 2/1 - 8x burner		
Model	SAP Code	00000324
CF8-916G	A group of articles - web	Stoves




- Device type: Gas unit
- Power consumption of the zone 1 [kW]: 10
- Power consumption of the zone 2 [kW]: 10
- Power consumption of the zone 3 [kW]: 7
- Power consumption of the zone 4 [kW]: 7
- Power consumption of the zone 5 [kW]: 7
- Power consumption of the zone 6 [kW]: 7
- Ignition: Eternal flame
- Type of internal part of the appliance 1 (eg oven): Gas
- Type of internal part of the appliance 2 (eg oven): Static
- Protection of controls: IPX5
- Material: AISI 304

SAP Code	00000324	Power consumption of the zone 4 [kW]	7
Net Width [mm]	1600	Power consumption of the zone 5 [kW]	7
Net Depth [mm]	900	Power consumption of the zone 6 [kW]	7
Net Height [mm]	900	Power consumption of the zone 7 [kW]	4
Net Weight [kg]	292.00	Power consumption of the zone 8 [kW]	4
Power gas [kW]	73.000	Type of internal part of the appliance 1 (eg oven)	Gas
Type of gas	Natural gas, propane butane	Type of internal part of the appliance 2 (eg oven)	Static
Number of zones	8	Width of internal part [mm]	680
Power consumption of the zone 1 [kW]	10	Depth of internal part [mm]	730
Power consumption of the zone 2 [kW]	10	Height of internal part [mm]	340
Power consumption of the zone 3 [kW]	7		



Technical drawing

Cooking range gas with static gas oven 2x GN 2/1 - 8x burner		
Model	SAP Code	00000324
CF8-916G	A group of articles - web	Stoves



Α	Data plate		C	Gas connection	ISO 7-1 3/4" M	
---	------------	--	---	----------------	----------------	--





Cooking range gas with static gas oven 2x GN 2/1 - 8x burner		
Model	SAP Code	00000324
CF8-916G	A group of articles - web	Stoves

Massive construction of burners

high performance and efficiency brass burners removable eternal flame long life demountable

Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick) smooth transitions

Large oven with four rack positions with static cooking

static baking high capacity and variability all-stainless design

Degree of protection of the control elements IPX5

maintenance-free system resistance to splash water long life

All-stainless steel construction

the material does not cut wear resistance of the material long life

Safety element – thermocouple

safe service for staff there is no unnecessary gas leakage long life

Piezoelectric ignition
instant flame ignition
there is no unnecessary gas leakage
long life



Technical parameters

Cooking range gas with static gas	oven 2x GN 2/1 - 8x b	urner	
Model	SAP Code	00000324	
CF8-916G	A group of articles - web	Stoves	
1. SAP Code: 00000324		15. Protection of controls: IPX5	
2. Net Width [mm]: 1600		16. Exterior color of the device: Stainless steel	
3. Net Depth [mm]: 900		17. Material: AISI 304	
4. Net Height [mm]: 900		18. Worktop type: Molded - comfortable cleaning maintenance	
5. Net Weight [kg]: 292.00		19. Worktop material: AISI 304	
6. Gross Width [mm]: 1670		20. Worktop Thickness [mm]: 2.00	
7. Gross depth [mm]: 1050		21. Number of zones:	
8. Gross Height [mm]: 1120		22. Power consumption of the zone 1 [kW]: 10	
9. Gross Weight [kg]: 318.00		23. Power consumption of the zone 2 [kW]: 10	
10. Device type: Gas unit		24. Power consumption of the zone 3 [kW]: 7	
11. Construction type of device: With substructure		25. Power consumption of the zone 4 [kW]: 7	
12. Power gas [kW]: 73.000		26. Power consumption of the zone 5 [kW]: 7	
13. Ignition: Eternal flame		27. Power consumption of the zone 6 [kW]:	
14. Type of gas: Natural gas, propane butane		28. Power consumption of the zone 7 [kW]:	



Technical parameters

Cooking range gas with static ga	s oven 2x GN 2/1 - 8x b	ourner	
Model	SAP Code	00000324	
CF8-916G	A group of articles - web	Stoves	
29. Power consumption of the zon	e 8 [kW]:	40. Oven material: Stainless steel	
30. Number of power control stages:		41. Type of internal part of the appliance 1 (eg oven): Gas	
31. Service accessibility: From the front by removing the front panel and waste fluid containers		42. Type of internal part of the appliance 2 (eg oven): Static	
32. Safety thermocouple: Yes		43. Width of internal part [mm]: 680	
33. Safety thermostat up to x ° C: 360		44. Depth of internal part [mm]: 730	
34. Adjustable feet: Yes		45. Height of internal part [mm]: 340	
35. Number of burners/hot plates:		46. Gasket: Yes	
36. Type of gas cooking zones: Brass burners		47. Maximum temperature of the inner chamber [°C]: 300	
37. Burner type: Brass, detachable		48. Minimum temperature of the inner chamber [°C]: 150	
38. Oven Type: gas static		49. Inner ignition: Piezoelectric	
39. Oven size:		50. Connection to a ball valve:	

1/2

GN 2/1