

# Technical data sheet

## Product features



### Salamander digital 4 heating elements movable upper part Hi-Touch 400 V

| Model | SAP Code | 00010730 |
|-------|----------|----------|
|-------|----------|----------|



- Removable bottom shelf: Yes
- Continuously sliding upper part of the device with heating elements: Yes
- Automatic temperature control: Yes
- Stainless steel holder included for easy wall mounting: Yes
- Automatic switch off at the end of the cycle and acoustic signaling: Yes
- HOLD function for temperature maintenance: Yes
- Number of heating elements: 4 heating elements, 2 heating options

|                        |          |                                   |                                       |
|------------------------|----------|-----------------------------------|---------------------------------------|
| <b>SAP Code</b>        | 00010730 | <b>Power electric [kW]</b>        | 6.000                                 |
| <b>Net Width [mm]</b>  | 735      | <b>Loading</b>                    | 400 V / 3N - 50 Hz                    |
| <b>Net Depth [mm]</b>  | 580      | <b>Removable bottom shelf</b>     | Yes                                   |
| <b>Net Height [mm]</b> | 520      | <b>Number of heating elements</b> | 4 heating elements, 2 heating options |
| <b>Net Weight [kg]</b> | 65.00    |                                   |                                       |

# Technical data sheet

Technical drawing




## Salamander digital 4 heating elements movable upper part Hi-Touch 400 V

Model

SAP Code

00010730



# Technical data sheet

## Product benefits



### Salamander digital 4 heating elements movable upper part Hi-Touch 400 V

| Model | SAP Code | 00010730 |
|-------|----------|----------|
|-------|----------|----------|

1

#### **Vermiculite heating segment cover**

immediate barrier-free penetration of heat and light from the heating segments  
very durable material

- intensive heat treatment of food

2

#### **Special heating elements,**

instant thermal run-up

- salamander does not need to be continuously switched on, food is cooked in real time, no waste heat is generated in the kitchen

3

#### **Sliding system**

a sliding system enabling a smooth shift of the lift and setting the required distance from the food

- convenient control without the need to exert force to adjust the distance needed to cook the food

4

#### **Programmable**

the control panel allows you to set individual times for different foods

- setting of programmed times allows operation by non-expert personnel

5

#### **Individual zone control**

control elements enabling switching on individual zones of the device  
saves energy and extends its life

- energy saving
- allows for the preparation of different sized foods

6

#### **Stainless steel construction**

construction material is high quality stainless steel  
ensuring long life  
high hygiene standard

- safe food preparation; long service life; easy cleaning

7

#### **Wall mount**

construction allowing hanging on a wall or structure

- space saving in the kitchen; easy access

8

#### **Automatic shutdown**

automatic shutdown at the end of the set cycle  
acoustic signal

- Prevents food spoilage

# Technical data sheet

## Technical parameters



### Salamander digital 4 heating elements movable upper part Hi-Touch 400 V

| Model | SAP Code | 00010730 |
|-------|----------|----------|
|-------|----------|----------|

**1. SAP Code:**

00010730

**2. Net Width [mm]:**

735

**3. Net Depth [mm]:**

580

**4. Net Height [mm]:**

520

**5. Net Weight [kg]:**

65.00

**6. Gross Width [mm]:**

830

**7. Gross depth [mm]:**

645

**8. Gross Height [mm]:**

730

**9. Gross Weight [kg]:**

78.00

**10. Device type:**

Electric unit

**11. Material:**

Stainless steel

**12. Device heating type:**

Infrared emitter

**13. Power electric [kW]:**

6.000

**14. Loading:**

400 V / 3N - 50 Hz

**15. Maximum device temperature [°C]:**

230

**16. Control type:**

Touchscreen

**17. GN / EN size in device:**

GN 1/1

**18. Removable bottom shelf:**

Yes

**19. Continuously sliding upper part of the device with heating elements:**

Yes

**20. Automatic temperature control:**

Yes

**21. Stainless steel holder included for easy wall mounting:**

Yes

**22. Automatic switch off at the end of the cycle and acoustic signaling:**

Yes

**23. HOLD function for temperature maintenance:**

Yes

**24. Number of heating elements:**

4 heating elements, 2 heating options  
– 4 topné elementy, 2 varianty ohřevu

**25. Cross-section of conductors CU [mm²]:**

1