

Technical data sheet

Product features



Ice maker 58 kg/24h hollow ice cube 40 air cooling with drain pump

Model	SAP Code	00020490
--------------	-----------------	----------



- Cooling type: Air
- Max ambient temperature [°C]: 43
- Min ambient temperature [°C]: 10
- Type of ice: Crushed ice
- Production per day [kg]: 58
- Water consumption [l/h]: 22.60
- Container for ice: Yes
- Ice storage capacity [kg]: 20
- Material: AISI 304

SAP Code	00020490	Water consumption [l/h]	22.60
Net Width [mm]	465	Production per day [kg]	58
Net Depth [mm]	595	Type of ice	Crushed ice
Net Height [mm]	889	Ice storage capacity [kg]	20
Net Weight [kg]	55.00	Max supply water temperature [°C]	38
Power electric [kW]	0.368	Min supply water temperature [°C]	5
Loading	230 V / 1N - 50 Hz	Drain pump	No
Cooling type	Air		




Technical data sheet

Technical drawing



Ice maker 58 kg/24h hollow ice cube 40 air cooling with drain pump

Model	SAP Code	00020490
--------------	-----------------	----------



* All measurements in mm.
* Todas las cotas en mm.

Technical data sheet

Product benefits



Ice maker 58 kg/24h hollow ice cube 40 air cooling with drain pump

Model	SAP Code	00020490
-------	----------	----------

- 1 Granuled ice**
ice pulp is wet, dissolves faster
 - no ice crusher is needed - time saving
- 2 The most effective evaporator on the market**
lower energy consumption and faster ice pulp production
 - saving energy costs, time saving
- 3 Vapor without sealing joints and seals**
a solid uniform design of the evaporator
 - easy to clean
- 4 Tropical version of the machine (class t)**
adaptation to extreme climatic conditions.
 - use in extreme climatic conditions
- 5 A backlit rocker switch**
simple operation even in reduced visibility or in the dark
 - saving time and the possibility of turning on and off the device even in the dark or in reduced visibility
- 6 Refrigerant - gas R291**
refrigerant with very low benefits to global warming and low energy consumption.
 - ecological use and economic savings
- 7 Powerful speed reduction at the top**
convenient service, higher speed of production
 - time saving, human work, economic savings
- 8 Stif: a construction supported by 4 -steel columns**
strength
 - the possibility of higher loads and a difficult deformation
- 9 SFVS front ventilation**
allows the units of the unit to the interior
 - variability of the location of the device

Technical data sheet

Technical parameters



Ice maker 58 kg/24h hollow ice cube 40 air cooling with drain pump

Model	SAP Code	00020490
-------	----------	----------

1. SAP Code:

00020490

2. Net Width [mm]:

465

3. Net Depth [mm]:

595

4. Net Height [mm]:

889

5. Net Weight [kg]:

55.00

6. Gross Width [mm]:

540

7. Gross depth [mm]:

650

8. Gross Height [mm]:

920

9. Gross Weight [kg]:

60.00

10. Device type:

Electric unit

11. Power electric [kW]:

0.368

12. Loading:

230 V / 1N - 50 Hz

13. Refrigerant:

R290

14. Cooling type:

Air

15. Material:

AISI 304

16. Exterior color of the device:

Stainless steel

17. Min ambient temperature [°C]:

10

18. Max ambient temperature [°C]:

43

19. Additional information:

Max. height with legs 939 mm

20. Production per day [kg]:

58

21. Water consumption [l/h]:

22.60

22. Door of device:

Full

23. Type of ice:

Crushed ice

24. Container for ice:

Yes

25. Ice storage capacity [kg]:

20

26. Max supply water temperature [°C]:

38

27. Min supply water temperature [°C]:

5

28. Drain pump:

No

Technical data sheet

Technical parameters



Ice maker 58 kg/24h hollow ice cube 40 air cooling with drain pump

Model

SAP Code

00020490

29. Cross-section of conductors CU [mm²]:

0,5

– Výkon (kW): 2,4-3,3 (230 V)

31. Diameter nominal:

DN 50

30. Water supply connection:

3/4"