



Combi convection steam oven STEAMBOX gas 20x GN 1/1 touch screen automatic cleaning direct steam left door

**Model SAP Code** 00014952

- Steam type: Injection
- Number of GN / EN: 20
- GN / EN size in device: GN 1/1
- GN device depth: 65
- Control type: Digital
- Humidity control: MeteoSystem regulation based on direct measurement of humidity in the chamber (patented)
- Advanced moisture adjustment: Supersteam two steam saturation modes
- Delta T heat preparation: Yes
- Automatic preheating: Yes
- Multi level cooking: No
- Door constitution: Vented safety double glass, removable for easy cleaning

SAP Code	00014952	Power gas [kW]	27.000
Net Width [mm]	1200	Type of gas	Natural Gas
Net Depth [mm]	910	Steam type	Injection
Net Height [mm]	1850	Number of GN / EN	20
Net Weight [kg]	300.00	GN / EN size in device	GN 1/1
Power electric [kW]	0.800	GN device depth	65
Loading	230 V / 1N - 50 Hz	Control type	Digital



#### Technical parameters

Combi convection steam over	Combi convection steam oven STEAMBOX gas 20x GN 1/1 touch screen automatic cleaning direct steam left door			
Model	SAP Code	00014952		
<b>1. SAP Code:</b> 00014952		14. Type of gas:  Natural Gas		
2. Net Width [mm]: 1200		15. Material:  AISI 304		
3. Net Depth [mm]: 910		<b>16. Exterior color of the device:</b> Stainless steel		
4. Net Height [mm]: 1850		17. Adjustable feet:  Yes		
<b>5. Net Weight [kg]:</b> 300.00		<b>18. Humidity control:</b> MeteoSystem - regulation based on direct measurement of humidity in the chamber (patented)		
<b>6. Gross Width [mm]:</b> 1150		19. Stacking availability:		
<b>7. Gross depth [mm]:</b> 1050		20. Control type:  Digital		
8. Gross Height [mm]: 2100		<b>21. Additional information:</b> Version with left door (hinges on the left, handle on the right)		
9. Gross Weight [kg]: 310.00		22. Steam type: Injection		
<b>.0. Device type:</b> Gas unit		23. Chimney for moisture extraction: Yes		
1. Power electric [kW]: 0.800		24. Delta T heat preparation: Yes		
<b>2. Loading:</b> 230 V / 1N - 50 Hz		25. Automatic preheating: Yes		
3. Power gas [kW]:		26. Automatic cooling:		

Yes

27.000





#### Technical parameters

1 touch screen automatic cleaning direct steam left door
00014952
40. Shower:
Hand winder
<b>41. Distance between the layers [mm]:</b> 70
<b>42. Smoke-dry function:</b> No
<b>43. Interior lighting:</b> Yes
<b>44. Low temperature heat treatment:</b> Yes
45. Number of fans:
<b>46. Number of fan speeds:</b>
<b>47. Number of programs:</b> 99
<b>48. USB port:</b> Yes, for uploading recipes and updating firmware
<b>49. Door constitution:</b> Vented safety double glass, removable for easy cleaning
<b>50. Number of preset programs:</b> 40
<b>51. Number of recipe steps:</b>

52. Minimum device temperature [°C]:

39. Probe:

Yes



#### Technical parameters

Combi convection steam oven STEAMBOX gas 20x GN 1/1 touch screen automatic cleaning direct steam left door				
Model	SAP Code	00014952		
53. Maximum device temperature [°C]: 300  54. Device heating type: Combination of steam and hot air		<b>57. GN / EN size in device:</b> GN 1/1		
		<b>58. GN device depth:</b> 65		
<b>55. HACCP:</b> Yes		<b>59. Food regeneration:</b> Yes		
56. Number of GN / EN:				

20