


# Technical data sheet

## Product features



### Gas stove 8x burner with base

<b>Model</b>	<b>SAP Code</b>	00005889
PC-716GP	<b>A group of articles - web</b>	Stoves



- Device type: Gas unit
- Power consumption of the zone 1 [kW]: 7,5
- Power consumption of the zone 2 [kW]: 7,5
- Power consumption of the zone 3 [kW]: 5,5
- Power consumption of the zone 4 [kW]: 5,5
- Power consumption of the zone 5 [kW]: 5,5
- Power consumption of the zone 6 [kW]: 5,5
- Ignition: Eternal flame
- Protection of controls: IPX5
- Material: Stainless steel

<b>SAP Code</b>	00005889	<b>Power consumption of the zone 1 [kW]</b>	7,5
<b>Net Width [mm]</b>	1600	<b>Power consumption of the zone 2 [kW]</b>	7,5
<b>Net Depth [mm]</b>	705	<b>Power consumption of the zone 3 [kW]</b>	5,5
<b>Net Height [mm]</b>	900	<b>Power consumption of the zone 4 [kW]</b>	5,5
<b>Net Weight [kg]</b>	142.00	<b>Power consumption of the zone 5 [kW]</b>	5,5
<b>Power gas [kW]</b>	44.000	<b>Power consumption of the zone 6 [kW]</b>	5,5
<b>Type of gas</b>	Natural gas, propane butane	<b>Power consumption of the zone 7 [kW]</b>	3,5
<b>Number of zones</b>	8	<b>Power consumption of the zone 8 [kW]</b>	3,5

# Technical data sheet

## Product benefits



### Gas stove 8x burner with base

<b>Model</b>	<b>SAP Code</b>	00005889
PC-716GP	<b>A group of articles - web</b>	Stoves

1

#### Massive construction of burners

high performance and efficiency  
cast iron burners removable  
long life

2

#### Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick)  
smooth transitions

3

#### Degree of protection of the control elements IPX5

maintenance-free system  
resistance to splash water  
long life

4

#### All-stainless design

the material does not cut  
wear resistance of the material  
long life

5

#### Safety element – thermocouple

safe operation for personnel  
there is no overheating and damage to the thallus  
long life

6

#### Piezoelectric ignition

instant flame ignition  
there is no unnecessary gas leakage  
long life

# Technical data sheet

## Technical parameters



### Gas stove 8x burner with base

<b>Model</b>	<b>SAP Code</b>	00005889
PC-716GP	<b>A group of articles - web</b>	Stoves

**1. SAP Code:**

00005889

**2. Net Width [mm]:**

1600

**3. Net Depth [mm]:**

705

**4. Net Height [mm]:**

900

**5. Net Weight [kg]:**

142.00

**6. Gross Width [mm]:**

1670

**7. Gross depth [mm]:**

850

**8. Gross Height [mm]:**

1110

**9. Gross Weight [kg]:**

152.00

**10. Device type:**

Gas unit

**11. Construction type of device:**

With substructure

**12. Power gas [kW]:**

44.000

**13. Ignition:**

Eternal flame

**14. Type of gas:**

Natural gas, propane butane

**15. Protection of controls:**

IPX5

**16. Material:**

Stainless steel

**17. Worktop type:**

Molded - comfortable cleaning maintenance

**18. Worktop material:**

AISI 304

**19. Worktop Thickness [mm]:**

2.00

**20. Number of zones:**

8

**21. Power consumption of the zone 1 [kW]:**

7,5

**22. Power consumption of the zone 2 [kW]:**

7,5

**23. Power consumption of the zone 3 [kW]:**

5,5

**24. Power consumption of the zone 4 [kW]:**

5,5

**25. Power consumption of the zone 5 [kW]:**

5,5

**26. Power consumption of the zone 6 [kW]:**

5,5

**27. Power consumption of the zone 7 [kW]:**

3,5

**28. Power consumption of the zone 8 [kW]:**

3,5

# Technical data sheet

Technical parameters



## Gas stove 8x burner with base

<b>Model</b>	<b>SAP Code</b>	00005889
PC-716GP	<b>A group of articles - web</b>	Stoves

### 29. Number of power control stages:

6

### 30. Service accessibility:

From the front by removing the front panel and waste fluid containers

### 31. Safety element:

thermocouple safety feature

### 32. Safety thermocouple:

Yes

### 33. Adjustable feet:

Yes

### 34. Additional information:

door not included - can be purchased

### 35. Number of burners/hot plates:

8

### 36. Type of gas cooking zones:

Classic

### 37. Burner type:

Cast iron, detachable, with internal and external combustion

### 38. Connection to a ball valve:

1/2