

Technical data sheet



Product features

Cooking range electric 4x plate on open cabinet 400 V

Model	SAP Code	00012304
--------------	-----------------	----------



- Device type: Electric unit
- Power consumption of the zone 1 [kW]: 3,5
- Power consumption of the zone 2 [kW]: 3,5
- Power consumption of the zone 3 [kW]: 3,5
- Power consumption of the zone 4 [kW]: 3,5
- Material: AISI 304 top plate, AISI 430 cladding

SAP Code	00012304	Loading	400 V / 3N - 50 Hz
Net Width [mm]	800	Number of zones	4
Net Depth [mm]	900	Power consumption of the zone 1 [kW]	3,5
Net Height [mm]	900	Power consumption of the zone 2 [kW]	3,5
Net Weight [kg]	86.00	Power consumption of the zone 3 [kW]	3,5
Power electric [kW]	14.000	Power consumption of the zone 4 [kW]	3,5

Cooking range electric 4x plate on open cabinet 400 V

Model	SAP Code	00012304
--------------	-----------------	----------

1

Round plates

- quick warm-up
efficient cooking on a round surface with easy
adhesion to dishes
- time-saving in food preparation
 - easy to use thanks to the large surface area of the
cooking plates

2

Internal thermostatic plate protection

- longer service life of the plates
- no overheating of the plates and no cracking

3

Degree of protection of the control elements IPX4

- maintenance-free system
resistance to splash water
long life
- savings on service interventions
 - easy cleaning and maintenance of equipment

4

All-stainless design

- long life
resistance of a ground steel plate with
a thickness of 10 mm
- savings on service interventions
 - higher corrosion resistance

5

Hygienic moldings of the top plate

- absence of sharp corners and edges (potential places
where dirt could stick)
smooth transitions
- easy quick cleaning

6

Variability

- the possibility of adding to the current line
easy possibility of creating one module
long life
- cost saving
 - space saving
 - long service life

Technical data sheet



Technical parameters

Cooking range electric 4x plate on open cabinet 400 V

Model

SAP Code

00012304

1. SAP Code:

00012304

2. Net Width [mm]:

800

3. Net Depth [mm]:

900

4. Net Height [mm]:

900

5. Net Weight [kg]:

86.00

6. Gross Width [mm]:

970

7. Gross depth [mm]:

840

8. Gross Height [mm]:

1160

9. Gross Weight [kg]:

96.00

10. Device type:

Electric unit

11. Construction type of device:

With substructure

12. Power electric [kW]:

14.000

13. Loading:

400 V / 3N - 50 Hz

14. Material:

AISI 304 top plate, AISI 430 cladding

15. Worktop material:

AISI 304

16. Worktop Thickness [mm]:

1.50

17. Number of zones:

4

18. Power consumption of the zone 1 [kW]:

3,5

19. Power consumption of the zone 2 [kW]:

3,5

20. Power consumption of the zone 3 [kW]:

3,5

21. Power consumption of the zone 4 [kW]:

3,5

22. Number of power control stages:

7

23. Adjustable feet:

Yes

24. Number of burners/hot plates:

4

25. Type of electric cooking zones:

Squared

26. Cross-section of conductors CU [mm²]:

4

- Výkon (kW): 30-37 (230 V); 53-64 (400 V)