

# Technical data sheet

Product features



## Dough kneader two-speed removable container 75 l 400 V

<b>Model</b>	<b>SAP Code</b>	00010022
--------------	-----------------	----------



- Chamber volume [l]: 75
- Number of speeds of device: 1
- Control type: Electric
- Start /stop: Yes

<b>SAP Code</b>	00010022	<b>Loading</b>	400 V / 3N - 50 Hz
<b>Net Width [mm]</b>	1020	<b>Number of speeds of device</b>	1
<b>Net Depth [mm]</b>	575	<b>Chamber volume [l]</b>	75
<b>Net Height [mm]</b>	1010	<b>Height of internal part [mm]</b>	370
<b>Net Weight [kg]</b>	270.00	<b>Weight capacity of the device container [kg]</b>	60.00
<b>Power electric [kW]</b>	3.000		

# Technical data sheet

Technical drawing




Dough kneader two-speed removable container 75 l 400 V

Model

SAP Code

00010022



HTS15; HTS20; HTS33;  
HTS42; HTS53

# Technical data sheet

Technical parameters



## Dough kneader two-speed removable container 75 l 400 V

<b>Model</b>	<b>SAP Code</b>	00010022
--------------	-----------------	----------

**1. SAP Code:**

00010022

**2. Net Width [mm]:**

1020

**3. Net Depth [mm]:**

575

**4. Net Height [mm]:**

1010

**5. Net Weight [kg]:**

270.00

**6. Gross Width [mm]:**

1300

**7. Gross depth [mm]:**

800

**8. Gross Height [mm]:**

1200

**9. Gross Weight [kg]:**

305.00

**10. Exterior color of the device:**

White

**11. Material:**

Stainless steel

**12. Device type:**

Electric unit

**13. Power electric [kW]:**

3.000

**14. Loading:**

400 V / 3N - 50 Hz

**15. Chamber volume [l]:**

75

**16. Start /stop:**

Yes

**17. Control type:**

Electric

**18. Number of speeds of device:**

1

**19. Height of internal part [mm]:**

370

**20. Weight capacity of the device container [kg]:**

60.00

**21. Cross-section of conductors CU [mm<sup>2</sup>]:**

0,5

- Výkon (kW): 2,4-3,3 (230 V)