

Technical data sheet



Product features

Freezing cabinet 350 l, stainless steel

Model	SAP Code	00018399
--------------	-----------------	----------



- Chamber volume [l]: 234
- Minimum device temperature [°C]: -10
- Maximum device temperature [°C]: -22
- Insulation thickness [mm]: 70
- Control type: Digital
- Interior lighting: No
- Door lock: Yes
- Opening of device: Two-sided
- Annual energy consumption [kWh]: 795

SAP Code	00018399	Gross Volume [m3]	0.844
Net Width [mm]	595	Net Volume [m3]	0.715
Net Depth [mm]	650	Minimum device temperature [°C]	-10
Net Height [mm]	1850	Maximum device temperature [°C]	-22
Net Weight [kg]	80.00	Refrigerant	R290
Power electric [kW]	0.170	Noise of device	47,1-49,3
Loading	230 V / 1N - 50 Hz	Refrigerant weight [g]	105.00
Energy class	B	Climate class	4
Chamber volume [l]	234		

Technical data sheet



Technical parameters

Freezing cabinet 350 l, stainless steel

Model

SAP Code

00018399

1. SAP Code:

00018399

2. Net Width [mm]:

595

3. Net Depth [mm]:

650

4. Net Height [mm]:

1850

5. Net Weight [kg]:

80.00

6. Gross Width [mm]:

630

7. Gross depth [mm]:

680

8. Gross Height [mm]:

1970

9. Gross Weight [kg]:

85.00

10. Device type:

Electric unit

11. Power electric [kW]:

0.170

12. Loading:

230 V / 1N - 50 Hz

13. Energy class:

B

14. Refrigerant:

R290

15. Cooling type:

Static with fan

16. Material:

Stainless steel

17. Min ambient temperature [°C]:

10

18. Max ambient temperature [°C]:

38

19. Device properties 2:

Freezing

20. Chamber volume [l]:

234

21. Gross Volume [m3]:

0.844

22. Net Volume [m3]:

0.715

23. Worktop material:

SS201

24. Adjustable feet:

Yes

25. Insulation thickness [mm]:

70

26. Opening of device:

Two-sided

27. Gasket:

Yes

28. Number of doors:

1

Technical data sheet



Technical parameters

Freezing cabinet 350 l, stainless steel

Model

SAP Code

00018399

29. Unit:

Yes

30. Control type:

Digital

31. Door lock:

Yes

32. Interior lighting:

No

33. Annual energy consumption [kWh]:

795

34. Minimum device temperature [°C]:

-10

35. Maximum device temperature [°C]:

-22

36. Noise of device:

47,1-49,3

37. Refrigerant weight [g]:

105.00

38. Number of grids:

7

39. Climate class:

4

40. Cross-section of conductors CU [mm²]:

0,5

- Výkon (kW): 2,4-3,3 (230 V)