

# Technical data sheet

## Product features



### Freezing cabinet 700 l GN 2/1, stainless steel, left door

|              |                 |          |
|--------------|-----------------|----------|
| <b>Model</b> | <b>SAP Code</b> | 00021700 |
|--------------|-----------------|----------|



- GN / EN size in device: GN 2/1
- Minimum device temperature [°C]: -2
- Maximum device temperature [°C]: 7
- Insulation thickness [mm]: 90
- Control type: Digital
- Interior lighting: No
- Door lock: Yes
- Opening of device: Hinges on the left
- Automatic defrost: Yes
- HACCP: Yes
- Annual energy consumption [kWh]: 332

|                            |                    |                                        |        |
|----------------------------|--------------------|----------------------------------------|--------|
| <b>SAP Code</b>            | 00021700           | <b>Gross Volume [m3]</b>               | 1.445  |
| <b>Net Width [mm]</b>      | 733                | <b>Net Volume [m3]</b>                 | 1.298  |
| <b>Net Depth [mm]</b>      | 847                | <b>Number of GN / EN</b>               | 24     |
| <b>Net Height [mm]</b>     | 2090               | <b>GN / EN size in device</b>          | GN 2/1 |
| <b>Net Weight [kg]</b>     | 118.00             | <b>Minimum device temperature [°C]</b> | -2     |
| <b>Power electric [kW]</b> | 0.130              | <b>Maximum device temperature [°C]</b> | 7      |
| <b>Loading</b>             | 230 V / 1N - 50 Hz | <b>Refrigerant</b>                     | R290   |
| <b>Energy class</b>        | A                  | <b>Climate class</b>                   | 5      |

# Technical data sheet

Technical drawing




Freezing cabinet 700 l GN 2/1, stainless steel, left door

Model

SAP Code

00021700



# Technical data sheet

## Product benefits



### Freezing cabinet 700 l GN 2/1, stainless steel, left door

Model

SAP Code

00021700

1

#### Insulation 90mm

minimal losses  
– energy saving

2

#### Two-sided opening

location variability  
– greater operational efficiency  
– better kitchen ergonomics

3

#### All-stainless design

corrosion resistance  
– longer service life  
– health safety

4

#### Automatic defrosting

nothing needs to be watched  
– always working properly without extra operator requirements

5

#### Wheels, legs

variability  
– user comfort

6

#### High energy class

minimal energy loss  
high efficiency  
guaranteed chilled food  
– cost saving  
– hygienic safety

# Technical data sheet

Technical parameters



## Freezing cabinet 700 l GN 2/1, stainless steel, left door

**Model**

**SAP Code**

00021700

**1. SAP Code:**

00021700

**2. Net Width [mm]:**

733

**3. Net Depth [mm]:**

847

**4. Net Height [mm]:**

2090

**5. Net Weight [kg]:**

118.00

**6. Gross Width [mm]:**

763

**7. Gross depth [mm]:**

873

**8. Gross Height [mm]:**

2170

**9. Gross Weight [kg]:**

130.43

**10. Device type:**

Electric unit

**11. Power electric [kW]:**

0.130

**12. Loading:**

230 V / 1N - 50 Hz

**13. Energy class:**

A

**14. Refrigerant:**

R290

**15. Material:**

AISI 304

**16. Exterior color of the device:**

Stainless steel

**17. Max ambient temperature [°C]:**

40

**18. Device properties 2:**

Cooling

**19. GN / EN size in device:**

GN 2/1

**20. Number of GN / EN:**

24

**21. Gross Volume [m3]:**

1.445

**22. Net Volume [m3]:**

1.298

**23. Adjustable feet:**

Yes

**24. Insulation thickness [mm]:**

90

**25. Opening of device:**

Hinges on the left

**26. Number of doors:**

1

**27. Unit:**

Yes

**28. Control type:**

Digital

# Technical data sheet

Technical parameters



## Freezing cabinet 700 l GN 2/1, stainless steel, left door

**Model**

**SAP Code**

00021700

**29. Door lock:**

Yes

**34. Maximum device temperature [°C]:**

7

**30. Interior lighting:**

No

**35. Automatic defrost:**

Yes

**31. HACCP:**

Yes

**36. Number of grids:**

3

**32. Annual energy consumption [kWh]:**

332

**37. Climate class:**

5

**33. Minimum device temperature [°C]:**

-2

**38. Cross-section of conductors CU [mm<sup>2</sup>]:**

0,5

- Výkon (kW): 2,4-3,3 (230 V)